

DEENDAYALPORTAUTHORITY

ISO9001-2015&14001:2015Certified

email: kptprojectdivision@gmail.com
MobileNo.:+919724301528
Website:www.deendayalport.gov.in



Office of the Executive Engineer(P),
Annexe Building,
Administrative
Office
Building, PostBo
x No.50,
Gandhidham(Kutch)-370201.



No.CN/WK/6014-I

Dated:27/05/2024

To,M/s. _____

Expression of Interest

Sub: Construction of new Seafarer's building at Kandla.

Sir,

Kindly submit your Expression of Interest (EOI) along with budgetary quotation offer for the subject work for the items considered for preparation of the Estimate under (Annexure-I).

The rates quoted must be inclusive of all taxes, duties for performing scope of work & exclusive of GST. The GST applicable shall be shown separately, which shall not be considered for evaluation purposes.

Your Expression of interest along with budgetary quotation for the above work should be submitted through email to the id: kptprojectdivision@gmail.com or hard copy to the following address on or before 04.06.2024 by 17:30 Hrs.

Address: -
Office of the Executive Engineer (Project),
Room no. 110, A.O. Building (Annex),
Deendayal Port Authority
Gandhidham (Kutch) 370 201, Gujarat
M: +91- 9724301528
Email: kptprojectdivision@gmail.com

Encl: As above

Yours faithfully,


Executive Engineer (P)
Deendayal Port Authority

(On the letter head of Contractor/Bidder)

Sr.No.	Description of Item	Unit	Lump Rates Figure)	Sum (In	Total Lump Sum amount (In words.)
1	Brick bat base chemical water proofing treatment for toilet.	Sq. M.			
2	China Mosaic with brick bat chemical water proofing treatment for Terrace.	Sq. Mt.			
3	35 mm thick Flush door shutters , including fixing 1 mm thick exterior lamination over it on both sides, peripheral 2 x 3 cm moulding patti with colour, with Stainless Steel hinges size - 6" x 1.25", dead lock with 4 key , SS handle size 30 cm Long, SS Tower Bolt (Stoper) size 20cm long, as per detail including one coat of primer and two coats of oil painting	Sq. Mt.			
4	UPVC Four track window (3 nos. glazed & one no. wire mesh panels)	Sq. Mt.			
5	S.S. (8% nickel, SS304) PIPE RELLING	Mt.			
6	S.S GLASS RAILING: Providing & Fixing on floor glass supporting systems high tensile aluminium S.S champagne finish -Transline 20RH ,On glass profile variations S.S champagne finish with accessories -TRA-PR-6539 ,with 12mm clear toughened straight glass & glass hight up to 2'feet	mt			
7.	Louvers:U shape 50x50x50 mm panel exterior grade powder coated baffle(with 25mm gap between two panels)	Sq. Mt.			
8	Plantation of semi carpet Lawn	Sq. Mt.			
9.	Plantation of Green belt trees	Nos.			
10.	RAINWATER HARVESTING SYSTEM	Lump Sum.			
11.	Plastic screen for swimming pool	Sq. Mt.			
12.	Empty boring through all sorts of strata for providing 0.60 Mt. diameter R.C.C. bored piles to required depth required depth including providing necessary	Mt.			

	casing pipe with all plants and equipments			
13.	Rubble filling	Cu. Mt.		
14.	6 mm thick Lexan Polycarbonate multi wall roofing sheet fixed with hilti screw and rubber silicon sealer and alluminium strip of size 50 x 3 mm	Sq. Mt.		
15.	Pre-cast concrete kerb stone of gray cement based concrete block 30cm length,30cm height and 15cm thick of M200 grade concrete.	Mt.		
16.	Two way BIB cock with wall flange	Nos.		
17.	Health Faucet hand shower	Nos.		
18.	SS Pillar cock with extention body	Nos.		
19.	Shower Arm Casted 160mm Long Light Body Round Shape for Wall Mounted Showers with Flange & Wall Mixer 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115mm Long Bend Pipe, Connecting Legs & Wall Flange (without Hand & Overhead Shower) , Towel Rack 600mm Long without Hangers of Stainless Steel.	Nos.		
20.	PVC SWR pipes for Drain - 75 mm dia.	Rmt.		
21.	PVC SWR pipes for Drain - 50 mm dia.	Rmt.		
22.	PVC SWR P- Trap for Drain -110x110	Nos.		
23.	Inlet mouth of rain water pipe cast iron grating 15 cm diameter	Nos.		
24.	Providing & Supplying of composite Leather <u>3 Seater Sofa</u> having upholstery material of premium leatherette (seat material) of Overall size-(W)1905mm X (D)890mm X (H)870mm. Height 445 mm ,Frame material:- Solid Wood . Slab stock and bonded foam at seat with recron padding at seat,Foam Density : 34 kg/ cubic m..Backrest is made of slab stock with recron fillers.Double webbing : Sspring and nylon.Fabric which gives a leather feel. The rate shall include all materials, hardware etc.	No.		
25.	Providing & Supplying of composite Leather <u>2 Seater Sofa</u> having upholstery material of premium leatherette (seat material) of Overall size-(W)	No.		

	1410mm X (D) 890mm X (H) 870mm. Height 445 mm ,Frame materiaal:- Solid Wood . back height 460 mm Slab stock and bonded foam at seat with recron padding at seat,Foam Density : 34 kg/ cubic m..Backrest is made of slab stock with recron fillers.Double webbing : Sspring and nylon.Fabric which gives a leather feel. The rate shall include all materials, hardware.			
26.	Providing Material for making <u>corian top teacwood finish tipoi</u> having size of 600 mm x 600 mm or suggested size with using 6 mm thk Corian Sheet at top level & base support of steel body Complete with all necessary Hardware, Adhesive, buffing ,pasting & grooving as suggested in detail drawings . Tipoi have based on pvc white buffer Complete.	No.		
27.	Supplying & fixing <u>antique large wall clock</u> of suggested size in suggested places. Basic rate of wall clock is 4000 rs. As selected by Architect/Engineer In charge. Make: SEIKO-QXH202BN, CASIO, SOLIMO,SONATA, ANCHOR.	No.		
28.	(3 x 1.5) Providing Material for making <u>corian top teacwood finish tipoi</u> having size of 900mm x 450 mm or suggested size with using 6 mm thk Corian Sheet at top level & at one side support all based 19 mm ply & at another side rest on 50mmx50mm teacwood patta as given pattern complete with polish. . internal sides of support finish with 1 mm thk laminate . . Complete with all necessary Hardware, Adhesive, buffing ,pasting & grooving as suggested in detail drawings . Tipoi have based on pvc white buffer Complete.	No.		
29.	DUSTBIN:-cello/Equivalent <u>Dustbin</u> Wet & Dry Waste Bin Two in One Dustbin Home Office Kitchen Park Dustbin in suggested Color Indoor & Outdoor Twin bin	No.		

	35 Ltr Medium Size Plastic Dustbin (Multicolor) included lid width 31 cm height 50 cm weight 2.9 g.			
30.	Four seater Dining Table with Dining Chairs :- Providing & Supplying four seater dining table with dining chairs having size of 88.9 x 88.9 x 76.2 cm finish with wooden police material having standard height Complete as per instructions.	No/Set		
31.	Commercial refrigeraton for cold storage:-Western SRC 500-GL 5 Star Automatic Visi Cooler Glass Standard Single Door Commercial Refrigerator (500 L, Black) having size of 69.5D x 58.3W x 206H Centimeters capacity of 453 ltr energy star 5 star INTERNAL LED LIGHT. Transparent door	No.		
32.	<p>LOCKERS IN CHANGING ROOM</p> <p>Supplying & Fixing of Goderej lockers having size of 1830(H), 500(W), 500(D) and features like Door, Sides and Back are Perforated for Ventilation</p> <p>Two Fixed shelves – one on top and another at bottom</p> <p>Fixed shelf at the top is has fully closed sides, back and door to restrain visibility.</p> <p>180° Door opening for convenient access</p> <p>Three-way locking mechanism</p> <p>Locks are supplied with Two Keys</p> <p>Locks are Mastered – Locks have Master Keys for Administrator’s access (Supplied upon request)</p> <p>Lock’s core/ barrel is exchangeable – Lock’s core could be changed in case the Key is missed (Removal key is supplied upon request)</p> <p>Locks have 1000 combinations. Upon request, additional 1000 Key combinations could be provided. A set of 1000 Keys will have one Master Key.</p> <p>Keys are 99% Anti-bacterial in nature</p> <p>Doors reinforced internally for extra strength Door is fitted with rubber bangers for quiet operation</p>	No.		

	<p>Ganging provisions on sides and back</p> <p>Pop rivet Construction</p> <p>Supplied in Complete Knockdown Packing. (Could be supplied as a Completely Built unit upon request)</p> <p>All CRCA components are powder coated in state of the art fully automated plant involving seven tank process. Samples undergo seven tests guided by ASTM Standards</p>			
33.	<p>Patient Examination Table : Providing & Suppling Patient Examination Table having size of Width: 60 cm,Length: 120 cm,Load Capacity: 100 kg. Top in 2 sections. Head rest adjustable. M.S tubular legs with rubber stumps. Epoxy powder coated. size 72"x20"x30"(L.W.H)</p>	No.		
34.	<p>Revolving Doctor Patient Stool in SS Material 4 legs: Supplying & Providing Revolving doctor patient stool having size of Size- 11.5 inch Top diameter X 20-29 inch Height. Epoxy coated mild steel frame work. Height adjustable & revolving top.</p>	No.		
35.	<p>ECG TROLLEY:_ Providing & Fixing ECG Trolleys having size of Width 46 cm,Height 94 cm, Depth 59 cm,Weight 19 kg material :- Iron, Stainless Steel, Maximum Weight Capacity 50 KG, Complete as per instructions given by the Architect & Engineer Incharge & as per shown in the View.</p>	No.		
36.	<p>WALL FRAME PAINTING:- Providing & fixing Wall Photo Frames in customized sizes & colors (Floral Frames with Brigh Color, with Plain Glass, Hard Wood, Moulding of size 15mm x 30mm with Outer Border).</p>	No.		
37.	<p>Magazine racks CIRCULAR BOOK RACK-(1200MM-DIA revolving mechanism) :Providing and fixing Book rack as pe ref image and</p>	No.		

	<p>instruction of architect Base: made from solid teak wood with revolving mechanism and specialized approved hardware as per selection of Architect/Client.</p> <p>Providing and fixing/placing custom made furniture as per ref.image.The work shall be done as per the approved shop drawing , specifications, mock up sample approved and as directed by the Architect and Engineer-in-charge. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools & tackles, approved make for all floors, all heights, all levels and all places within campus.</p>			
38.	<p>DoorMate:- Providing Door Mat of Size 400mm x 600mm, made up of Cotton Material, having weight between 400 to 600 GSM. It should well stiched & should be perfect finish and should be defect free & sholud be in suggested Color.</p>	No.		
39.	<p>Freeze 90 ltr :-Providing, Supplying, Testing & Commencing of 80 litre single door refrigerator with a door lock facility Power Source: Corded -Electric ,Product Dimensions 46 cm x 43.7 cm x 77.7 cm having a one year warrenty</p>	No.		
40.	<p>Television 1650 mm:-Supplying & Installing Television of Full HD LED Television Display Size 66 Inch , ,Screen Type Full HD,LED TV, having additional features of , Sound Output: 8W+8W, Speakers 2 Full Range Sound Technology Dolby Digital, Dolby Digital Plus, Dolby Pulse Additional Sound Mode(Standard, Cinema, Sports, Music, Game, Compressed Audio), Sound Enhancer, S-Master, S-Force Front Surround 3D, Simulated Stereo, Stereo System(NICAM/A2)Internet Video , Facebook and Twitter, Skype Ready ,Deep Color, Intelligent MPEG Noise Reduction, Advanced Contrast Enhancer (ACE), 24P True Cinema, PhotoTV</p>	No.		

	<p>HD, CineMotion/Film Mode/Cinema Drive, 3D Comb Filter, BRAVIA Sync, Fast Zapping, USB Play, Picture Frame Mode, Scene Select, Parental Control, Clock, Sleep Timer, On/Off Timer, Teletext, PAP (Picture And Picture), Screen Mirroring, TV Sideview, Wi-Fi Connectivity, Wi-Fi Direct ,Ethernet 1 (Bottom) USB 1 port(USB 2.0)</p> <p>Audio Out 1 (Side/Hybrid w/HP) HDMI 2 Headphone Out 1 (Side/Hybrid w/Audio Out) Other Connections RF Connection Input(s)-1 (Side), Analog Audio Input(s)-2 (1 Rear/1 Bottom), Digital Audio Output(s)-1 (Bottom) Component Video Input 1 (Bottom/Hybrid) Composite Video Input 2 (1 Rear/1 Bottom Hybrid w/Component)</p> <p>Display Feature - In the Box Main Unit, Remote Control, Batteries, User Manual, Warranty Card.</p>			
41.	<p>Television 1050 mm :-Supplying & Installing Television of Full HD LED Television Display Size 42 Inch , ,Screen Type Full HD,LED TV, having additional features of , Sound Output: 8W+8W, Speakers 2 Full Range (30x80mm) x2</p> <p>Sound Technology Dolby Digital, Dolby Digital Plus, Dolby Pulse Additional Sound Mode(Standard, Cinema, Sports, Music, Game, Compressed Audio), Sound Enhancer, S-Master, S-Force Front Surround 3D, Simulated Stereo, Stereo System(NICAM/A2)Internet Video , Facebook and Twitter, Skype Ready ,Deep Color, Intelligent MPEG Noise Reduction, Advanced Contrast Enhancer (ACE), 24P True Cinema, PhotoTV HD, CineMotion/Film Mode/Cinema Drive, 3D Comb Filter, BRAVIA Sync, Fast Zapping, USB Play, Picture Frame Mode, Scene Select, Parental Control, Clock, Sleep Timer, On/Off Timer, Teletext, PAP (Picture And Picture), Screen Mirroring, TV</p>	No.		

	<p>Sideview, Wi-Fi Connectivity, Wi-Fi Direct ,Ethernet 1 (Bottom) USB 1 port(USB 2.0)</p> <p>Audio Out 1 (Side/Hybrid w/HP) HDMI 2 Headphone Out 1 (Side/Hybrid w/Audio Out) Other Connections RF Connection</p> <p>Input(s)-1 (Side), Analog Audio Input(s)-2 (1 Rear/1 Bottom), Digital Audio Output(s)-1 (Bottom)</p> <p>Component Video Input 1 (Bottom/Hybrid) Composite Video Input 2 (1 Rear/1 Bottom Hybrid w/Component)</p> <p>Display Feature - In the Box Main Unit, Remote Control, Batteries, User Manual, Warranty Card.</p> <p>Samples should be approved by the Architect & Engineer Incharge.</p>			
42.	<p>Tread mill :-Providing & suppling treadmill having following features. (1) AC Motor:-4.0 HP, Speed range 8-16.8 KPH, Jet fuse Air pods cushion system, 15 levels elevationb range, having runing area of 1260 X 460 mm with MP3 audio compatability & speaker including adjustable cooling fan having 130 kg user capacity</p> <p>(Make :SU 800T Arrow Treadmill, Cosco CX - 7. TRAIL AC 17,)</p> <p>The item includes TREADMILL - Providing & suppling treadmill having following features. (1) AC Motor:-4.0 HP, Speed range 8-16.8 KPH, Jet fuse Air pods cushion system, 15 levels elevationb range, having runing area of 1260 X 460 mm with MP3 audio compatability & speaker including adjustable cooling fan having 130 kg user capacity.</p>	No.		
43.	<p>MULTIFUNCTIONAL BENCH:-Size (LxWxH)</p> <p>Providing & Supplying Multipurpose bench having size of 168 x 110 x 125-136cms</p> <p>features:- Incline, Decline and Flat</p>	No.		

	Bench Exercises.Heavy Duty Steel.ncline, Decline and Flat adjustment, Adjustable foam rollers for improved stability, Max User Weight – 150 kgs, Size : 1680 x 1160 x 1210-1360mm,Steel tubing:- 50x 100 mm,Steel thkness 2.5 mm,			
44.	SPIN BIKES :-Providing & Supplying Spin Bikes having feaitres of three pcs crank,20 kg flywheel, size 1252x602x910 mm net weight 60 kg. Brush,brake resistance control belt drive,Precise bearing for smooth function,High strength,steel frame and ultra stable structure. 23 kg fly wheel, User weight 150 kg.	No.		
45.	Ellipticals :- Providing & Supplying Steel Elliptical Cross Trainer having size of 25.4 Dx 149.9 w x 12.7 h,Material:- Alloey Steel ,Strial length 20',Resistance control 1-20 lvs, Fly wheel weight:-7.66 kg,Incline 20 lvs, Power Source:-DC supply,warrenty 1 year ,	No.		
46.	Yoga Mate Providing 6 mm thk ecofriendly yoga matt having size of obsessions 0.61x1.73 mtr. In suggested color.	No.		
47.	Rubber Gym Floor Mate :- Providing & Supplying Crumb Rubber Tiles 25 mm Tile size is 50cm x 50cm, The area covered by one tile is 2.69sqft/0.25sqm having Excellent shock absorption properties in customize color and thickness.	No.		
48.	Wooden Chess Board with stand :- Providing & Supplying Wooden Chess board Wooden Table Chess, 12-inch (Multicolour) - Premium Quality 30.48 cm Chess Board (Multicolor) having size of with stand, Surface material :- wooden, height 30.48 cm,width & depth is 30.48. DIMENSIONS: L x B x H - 12 x 12 x 12 inches,- Table is Foldable.	No.		
49.	Saloon Chair :- Providing & Supplying Saloon chair of suggested color like black, brown	No.		

	or creamy in square or rectangular shape material Genuine leather,synthetic Leather having height of 12 inch 22 inch and 24 inch ,Unisex chairs .			
50.	Saloon chair with Backwash Unit:- Providing & Supplying Heavy duty salon chair with a high weight capacity of 330lbs Durable ABS plastic shampoo bowl that is easy to clean Equipped with a comfortable headrest and thick cushioned seat Includes a built-in spray hose with a shower nozzle and vacuum breaker Material PVC leather,Product Dimentions:- 27.6"D x 25.2"W x 39.6"H (70.1 x 64 x 100.6 cm) ABS Shampoo Bowl,Freestanding, Item Weight :- 159 pounds (71.55 kg)	No.		
51.	Carts & Trolleys:_ Providing & Supplying trolleys in saloon area having material of plastic, having minimum 6 selves, Having multifunctional top tray ,2 large pockets in trolley,4 removable drawers,Big compartment of storage,Chrome plated rails, smooth wheels.	No.		
52.	Apron :- Providing & Fixing Hairstylist Salon Apron with Rhinestone Tools and 3 Pockets Waterproof Hairdresser Barber Aprons, Mainly Black, A set includes two pieces	No.		
53.	TOWEL :_ Supply of Large Towels Trident Indulgence 100% Cotton Luxury Bath Towels - 600 GSM- Super Soft, Easy Care or equivalent Bath towel size of Large towels in measuring 75 x 150 cm each, 100% cotton. Best cotton shall be used.	No.		
54.	NEPKINS:-Supply of Trident 380 GSM Comfort Living Hand Towel size of 40cm X 60cm in rectangular shape, Pattern: Striped, Size Name: Hand, 100% cotton or its equivalent. Best cotton shall be used	No.		

55.	<p>FIRST AID KITS :_Having size of 32 x 22 x 13 cms. Kits have 2 Equal Halves, versatile Internal partitioning and transparent plexiglass covers, easily operated Turn Locks, Integrated Handle, content list, provision to fill in emergency Numbers, standard silk screen printed film Inscription.Kits have 2 Equal Halves, versatile Internal partitioning and transparent plexiglass covers, easily operated Turn Locks, Integrated Handle, content list, provision to fill in emergency Numbers, standard silk screen printed film Inscription.</p>	No.		
56.	<p>Lockers For changing room :- Supplying & installing lockers for Locker unit has suggested compartments with separate doors. Doors have ventilation louvers Doors have Label holder 180° Door Opening for convenient access Doors made of 0.8 mm thick powder-coated CRCA Sheet Body, Back & Shelves made of 0.6 mm thick powder-coated CRCA Sheet Locking facility available with a duplicate key Total 15 numbers of individual lockers Completely knock down design simplifies assembly Dimensions Width (cm) 90.5 Depth (cm) 40 Height (cm) 185 Weight (Kg) 52 Three-way locking mechanism Locks are supplied with Two Keys Locks are Mastered – Locks have Master Keys for Administrator’s access (Supplied upon request) Lock’s core/ barrel is exchangeable – Lock’s core could be changed in case the Key is missed (Removal key is supplied upon request)</p>	No.		

	<p>one Master Key.</p> <p>Keys are 99% Anti-bacterial in nature</p> <p>Doors reinforced internally for extra strength</p> <p>Doors are fitted with rubber bangers for quiet operation</p> <p>All CRCA components are powder coated in state of the art fully automated plant involving seven tank process. Samples undergo seven tests guided by ASTM Standards.</p>			
57.	<p>SUPER MARKET RACKS : Departmental Store racks (Display racks & Selves.) Supplying & providing Departmental store racks Multipurpose Adjustable Iron Rack for Kitchen, Shops and Book Shelf RED & Ivory (WALL RACK 6FEET X 3FEET SET OF 3)</p>	No.		
58.	<p>Cold storage Refrigerator: Providing & Supplying BLUE STAR 375 Liter Visi Cooler having size of 68.6D x 57.6W x 172.4H Centimeters Energy star 5 star .Temperature Control: The Blue Star Visi Cooler, model SC375F, maintains a cooling temperature range of 2 to 10 degrees Celsius, ensuring your products stay fresh and appealing.</p> <p>Eco-Friendly Cooling: This model uses the eco-friendly refrigerant R134a, demonstrating commitment to environmental sustainability without compromising on cooling efficiency.</p> <p>Space and Storage: Offering a gross volume of 358 liters, this Visi Cooler features a single door and five adjustable shelves, maximizing storage flexibility to suit your product display needs.</p> <p>Secure and Practical: The model includes a locking mechanism for added security, along with self-closing doors that help conserve energy and maintain optimal internal temperature.</p> <p>Durable Design: Its durability is ensured by a pre-coated metallic inner and outer cabinet which also</p>	No.		

	<p>enhances cooling efficiency, extending the product's lifespan and reliability.</p> <p>Mobility and Visibility: The Visi Cooler comes with castor wheels for easy movement and repositioning in your store. It also features bright LED lighting, making products easily visible and attractive to customers.</p> <p>Ventilated Cooling: This model utilizes a ventilated cooling mechanism, ensuring uniform temperature distribution and optimal cooling performance across all shelves.</p>			
59.	<p>Shopping Trolleys:-Providing & Supplying SS Finishfour wheel 60 ltr Shoppimng Trolleys, Foldable,Height adjustable,Heat resistant, Corrosion Resistance, High load bearing capacity,Compact design,Corrosion resistance.</p>	No.		
60.	<p>melody music chair -adjustable chairs and stools :- the chair is designed band-pitch style with a seat to back angle of 97 degrees allowing for maximum breathing capability. It is also ideal for any activity that requires your back to be in a more upright position. . Safely stack 20 high. Use the DY-82 dolly for travel and storage.</p> <p>Seat back angled at 97 degrees - ideal for instrument or choir practice</p> <p>Durable polypropylene construction</p> <p>7/8", 16-gauge square tubing frame</p> <p>Four stack bumpers</p> <p>Seat dimensions: 16 1/2" W x 16 1/2" D X 17 1/2" H</p> <p>Also available with right or left tablet arm for use</p> <p>NEW! 10-Year manufacturer's Weight: 16 lbs.</p> <p>Width: 19",Height: 33.5",Length: 21.5".</p>	No.		
61.	<p>Melody Music Stand Providing & Supplying melodu music stand Size: 24"H x 20.5"W x</p>	No.		

	12.5"D,Constructed of 22-gauge aluminum Adjusts from 24"-46" (lip to floor)Spring loaded adjustable tube for ease of use.			
62.	Providing four seater wooden table and dining chairs made pure top seesam wood having table size of 45x35x30" and chair size is 40"x17.5"x17.5",Buffers under chairs for floor safety,strong attachment and attractive looks .	No.		
63.	Providing & Supplying Piano designer wooden wall self for music area Dimensions :as suggested size These storage shelves made of imported high-quality engineered wood Ideal for decorating/storing planters, toys, vases, show pieces, etc. clutter-free with these storage units available in different shapes and colours Each shelf can hold upto 5 kg weight Termite proof, weather proof water resistant Imported high quality engineered wood 1 Piece of Wooden Shelf.	No.		
64.	HIGH BACK FABRIC (LEATHER EFFECT) CHAIR - Providing & Supplying of High Back Chairs, having single touch adjustable seat of size 525mm x 500mm, having adjustable tilt angle & tension with lock to find optional position, water fall seat cushion slopes slightly downward to help reduce stress on your legs. Frame construction should be of aluminium & black in color having dimension of 1200mm Ht., 700mm width & 750 mm Depth & Back cushion Ht. should be 719 mm. It should have Nylon base Arms, Armrest is 2D. It should have provision of Gas Lift system, WITH CROME LEG AND FANCY ARM REST WARRANTY 1 YEAR	No.		
65.	FABRIC FINISH VISITOR CHAIR - Providing & Supplying of Fabric finish visitor Chairs, having single	No.		

	touch adjustable seat of appropriate size, , Frame construction should be of nylon & black in color having dimension of 1200mm Ht., 475mm width & 431 mm Depth & Back cushion Ht. should be 535 mm. It should have Nylon base Arms, Armrest is T fixed.having ht. of 260mm, It should have minimum 5 years warranty.			
66.	MEDIUM BACK FABRIC (LEATHER EFFECT) CHAIR (For Conference) - Providing & Supplying of Medium Back Chairs, having single touch adjustable seat of size 431mm depth, 475mm width, 520mm Seat Ht, having adjustable tilt angle & tension with lock to find optional position, Frame construction should be of nylon & black in color having dimension of 1200mm Ht., 475mm width & 431 mm Depth & Back cushion Ht. should be 535 mm. It should have Nylon base Arms, Armrest is T fixed.having ht. of 260mm, It should have minimum 5 years warranty.	No.		
67.	Carrom board stand:- Carrom Board Stand made of durable steel and painted black. Well balanced to hold most carrom boards.Castor wheel or pvc buffer at each leg. Carrom Board :-Pack of 2 pcs of Carrom Board. Board Size - 33" x 33", Playing Area - 29" x 29" and Border Size - 2". Thickness of plywood board is 4 mm.Carrom Board - Club (Full Size, 2 Inch Border)Basic rate of item is 7700 rs for single stand and set of two carrom board. Set includes two nos .	No.		
68.	Snooker Table Providing & Supplying Billiard Table / Snooker Table having size of Width 122 cm Length 244 cm Depth 120 cm Playbed Thickness 30 cm Playing Area 8 inch weight 160 kg ,Accessories : - Cue Stick- 4, Ball set - 1, Table cover - 1, Chalk -10, Tips - 10, Triangle - 1, Brush - 1, Cue Stand - 1, Material:	No.		

	Highly Density Quality Ws wood & HardBoard with Scratch resist PVC, Height adjustable Chrome plated leg levelerth Chromed corners, Automatic ball return system, Fine quality Fabric felt for smooth and fast play, Strong and attractive table with all accessories required, Installation : Top already installed, legs will be folded in the package, installation instruction sheet inside, easy installation to joint legs with table.			
69.	Tennis Table :-Providing & Supplying Mini Table tennis table Mini Table Tennis Table with 12mm Top Thickness (Blue or suggested shed)in smooth finish having size of Width 180 cm Length 90 cm Height 76 cm Frame Thickness 12 mm Weight 30 kg.	No.		
70.	Foosball Table:- Providing & Supplying Foosball Soccer Table Wooden Solid & Metal Legs Black Beast having size of 145L x 75W x 85H Centimeters,Material wood,Item Weight 75 Kilograms Base Material Alloy Steel, Metal, Iron, Engineered Wood,Frame Material Aluminium Wooden & Ply Solid Structure, High MOISTURE RESISTANT (Best in Segment) Atleast 3 times more life than ordinary MDF tables Metal Iron Legs with Special Powder coating for Longer life & Sturdiness (Best in Segment) Way better than MDF legs Strong Steel rods size Dia18.2mm (Best in Segment/Class) , Better strength than other rods of thickness 15.8mm High quality Balanced Players for best experience and hard hitting shots Steel Bumpers and Heavy steel Bearings (Best in Segment)	No.		
71.	Stack Chairs :- Providing & Supplying -high-density-stack-chair Construction	No.		

	<p>Seat and back are injection molded polypropylene</p> <p>Frame is 7/16" solid steel rod</p> <p>Frames are either baked-on electrostatically applied powder coat paint or semi-bright nickel chrome plating</p> <p>Ganging and non-ganging glides in polycarbonate, PVC or steel.</p>			
72.	<p>SS Dustbin:- Providing Swing Dustbins made up of S.S. 304. The Lid of this Dustbin is attached from center & can be swing from both sides.</p>	No.		
73.	<p>Hospital Curtains along with Rod: Providing & Fixing Hospital curtains in polyester fabric along with SS rod at Clinic area in suggested color</p> <p>having GSM 150-200, Pattern ,ZIGZAK, Size 48". Having feature of Anti-</p> <p>Water Repellent,Anti-Microbial & Bacterial.</p>	No.		
74.	<p>Classic Crystal Chandelier for double height area . :- Providing & Supplying 10-14 Lamps Classic Crystal Chandelier. in suggested size. Metal pieces can be manufactured in different finishes such as brass, antique, gold, silver, bronze. High quality crystal beads used , crystals can be replaced with As four, Swarovski or Far East Crystals.</p> <p>Measurements: Hight: 75cm approx ,Width: 50cm</p>	No.		
75.	<p>Cane Cafeteria Chair (Beige, Set of 2, Pre-assembled) Basic rate of item is 10000.00 (Ten thousand</p>	No.		
76.	<p>Providing Quotation for supplying of Glass at site of various sizes (Rate includes all glass transportation)</p>	No.		
	12 mm toughen glass	Sq Mt		
	10 mm toughen glass	Sq Mt		
	8 mm toughen glass	Sq Mt		
	Charges for crystal edges	R Mt		
	6 mm thk mirror	Sq Mt		
	Rate for bewale edges	R Mt		
77.	Providing Quotation for IS 710			

	grade ply			
	19 mm IS 710 ply	Sq Mt		
	12 mm IS 710 ply	Sq Mt		
	9 mm IS 710 ply	Sq Mt		
	6 mm IS 710 ply	Sq Mt		
	Rate of charcoal sheet size 8'x4'	Sheet		
	Rate of 12 mm mdf	Sq Mt		
	Rate of 8 mm mdf	Sq Mt		
	Rate of 18 mm MDF	Sq Mt		
	Rate of 1 mm thk laminate	Sheet		
	Rate of 1.5 mm thk laminate (fluted/texture finish/acrylic mirror finish)	Sheet		
	Rate of 4 mm thk veneer with PU polish	Sq Mt		
	Rate of PVC panel lowards 350mmx2950mmx10mm	Piece		
	Rate of 6 mm thk corian with fabrication and buffing	Sq Mt		
	Rate of fevikol	KG		
	Rate of S.R /adhesive	KG		
	Rate of SS 304 D Brackets 12 mm glass /SS brackets for full glazed partion	Piece		
	Rate of 12 MM cement Sheet	Sq Mt		
	18 mm	Sq Mt		
	15 mm	Sq Mt		
	12 mm	Sq Mt		
	8 mm	Sq Mt		
	Door Closers	Piece		
	Floor spring =100 kg	Piece		
	Soft touch/telescopic sliding channels size 450 mm	SET		
78.	Aluminium framing 16 guage size 50mmx25 mm for partition/paneling framing	kg		
79.	Bidding Patties/Batten Patties	R MT		
80.	Rate For supported Hardware like MS nails, SS-304 screws, magnet, Stoppers, L - hinges, table chain, 4" mat finish SS handles, locks, stoppers, SS Screws,MS nails, Auto hinges, Cable Manager for storage units ,Partition and in any conventional furniture item.	Lumsum per sq ft		
81.	Rate of Pinup board having size of 3'x4'	Piece		
82.	Rate of Acaustic Fabric/Panel	Sq Mt		

83.	Rate of Glass Wool	Sq Mt		
84.	Rate of veneer acaustic panel	Sq Mt		
85.	Fabrication Work for 150 mm high wooden deck	kg		
86.	PVC wooden Planck flooring	Sq Mt		
87.	Rate for 12 mm gypsum sheet	Sq Mt		
88.	Rate for Armstrong baffle ceiling	Sq Mt		
89.	Rate for Aerolite light weight calcium silicate ceiling	Sq Mt		
90.	Rate of Wooden Molding Patties with Polish	R Mt		
91.	Rate of 6 mm HPL sheet for exposed false ceiling	Sq Mt		
92.	Rate For Barrisole Stretch Mirror Ceiling Panel	Sq Mt		
93.	10MM+3MM ACRYLIC AS PER LOGO COLOR:- Fixing with bolt or silicon tape as per the background and suggested logo in glossy finish size .cost including all laser	Sq Inch		
94.	5 MM ACRYLIC BOX HANGING BOX:- provide all with vinyal and hanging SS wire studs/ss chain/ms chain approx size 24"x6".	Sq Inch		
95.	ALUMINIUM EMBOSS LETTERS:- Providing and fixing Aluminium emboss letter aluminium channl letters, front side acrylic,side wall pu color, inside high glow led modules,power supply for led, all installation as suggested by architect/incharge. (approx size 12'x4')	Sq Inch		
96.	WALL ART :- Providing 3D Wall Art painting as suggested patterns and suggested areas . Wall art selected by Architect /Engineer Incharge	Sq Mtr		
97.	Main Fire Hydrant Pump- Electric Motor Driven: SITC of: Back pull out type -Single Stage, Self Mriming, Centrifugal Pump for Main Fire Pump with Electric Motor, Base frame and Couplings. MOC:-Casing-CI, Impeller- Bronze, Shaft- SS 410, Sleeve-SS410. Flow Capacity: 1620 LPM Head: 60 mtr Speed: 2900 Approx Pump shall be capable of	Nos.		

	<p>furnishing not less than 150% of rated capacity at a head not less than 65% of rated head The shut off head shall not exceed 120% of rated head.</p> <p>UOM:-Price Per Complete set of Pump + Motor + Accessories.</p> <p>Note:-01. Minor civil work like tank hole/ Core Cutting etc. are in bidders</p>			
98.	<p>Jockey Fire Pump- Electric Motor Driven:</p> <p>SITC of: Back Pull-out End Suction Type -Single Stage, Self Priming, Centrifugal Pump for Jockey Fire Pump with Electric Motor, Mechanical Seal, Base-frame and Couplings.</p> <p>MOC:-Casing-CI, Impeller- Bronze, Shaft- SS 410, Sleeve-SS410.</p> <p>Flow Capacity: 180 LPM</p> <p>Head: 60 mtr</p> <p>Speed: 2900 Approx</p> <p>Pump shall be capable of furnishing not less than 150% of rated capacity at a head not less than 65% of rated head The shut off head shall not exceed 120% of rated head.</p> <p>UOM:-Price Per Complete set of Pump + Motor + Accessories.</p> <p>Note:-01. Minor civil work like tank hole/ Core Cutting etc. are in bidders scope.</p>	Nos.		
99.	<p>Standby Fire Pump- Diesel Engine Driven</p> <p>SITC of: Diesel Engine driven Standby Pumping System complete with,diesel engine, Back Pull-out Type Single Stage, Self Priming, Centrifugal Pump, Couplings & Base-frame:</p> <p>MOC:- Pump Casing-CI, Impeller- Bronze, Shaft-SS410, Sleeve- SS410.</p> <p>Flow Capacity: 2280 LPM</p> <p>Head: 65 mtr</p> <p>Speed: 2900 LPM</p> <p>Diesel Engine includes 100 ltr diesel tank, battery, battery charger, engine oil and coolant.</p> <p>UOM:-Price Per Each Set.</p> <p>Note:-01. Minor civil work like tank hole/ Core Cutting etc. are in bidders scope.</p>	Nos.		
100.	<p>Fire Pump Control Panel- Auto and Manual Type.</p> <p>Supply, Installation and Testing of: Electric Control Panel for Electric</p>	Nos.		

	Motor Driven Main Fire Pump and Jockey Fire Pump. all pumps can be Start Automatically (by Pressure Switch) & Manually. Design As per the Detail Specifications given. UOM:-Price Per Set.			
101.	Air Vessel: SITC of Pressurized Air Vessel f Size 450 mm Dia x 2000 mm long fabricated from 10 mm thick MS Plate with 25 mm drain valve, air release valve with ball valve on top and isolation valve.	Nos.		
102.	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV. to be laid on wall FRLS type with necessary clamps or in existing trench / pipe of following size of cables - 3.5 core 50 Sq. mm	Rmt.		
103.	Heavy duty flange type brass cable gland with rubber ring for PVC insulated armoured cable complete with out going tails, insulating tape etc for following size of cables. - 3.5 core 50 Sq. mm	Nos.		
104.	Solderless crimping type Aluminium lugs conforming to IS suitable for cable of following size evenly crimped with high pressure tool & connected to switchgear terminals with brass/cadmium plated nut bolts in an approved manner. - 50 Sq.mm.	Nos.		
105.	XLPE(IS:7098)(I)-88 ISI armoured cable multistrand Aluminium conductor for 1.1 KV. to be laid on wall FRLS type with necessary clamps or in existing trench / pipe of following size of cables - 4 core 16 Sq. mm	Rmt.		
106.	Heavy duty flange type brass cable gland with rubber ring for PVC insulated armoured cable complete with out going tails, insulating tape etc for following size of cables. - 4 core 16 Sq. mm	Nos.		
107.	Solderless crimping type Aluminium lugs conforming to IS suitable for cable of following size evenly crimped with high pressure tool & connected to switchgear terminals with brass/cadmium plated nut bolts in an approved manner. - 16 Sq.mm.	Nos.		
108.	Pressure Gauge with Siphon Tube and Cock.	Nos.		

	<p>Supply, Installation and Testing of: Pressure Gauge with Siphon Tube and Cock. MOC:-4" Dial- Glycerin filled- Stainless Steel Body Pressure Gauge with GI Siphon Tube and Brass Cock. Size:-Dial: 4" (100 mm) Range: 0 – 16 Bar (kg/cm²) UOM:-Price Per Unit</p>			
109.	<p>Pressure Switch with Siphon Tube and Cock. Supply, Installation and Testing of: Pressure Switch with Siphon Tube and Cock. Size:- Range suitable for System Design Pressure. UOM:-Price Per Unit</p>	Nos.		
110.	<p>Pipe Laying. Supply, Fabrication, Installation, Hydro Testing & Painting of Under Ground Pipe. With necessary Pipe Fitments (Flanges, Bands, Socket, wrapping-coating etc.), MS Support/Clamps/Hangers etc. Hardware (Gaskets, Nut-Bolts, Paint etc.), Consumables (Welding Rod, etc.) and Labour Charge. Quality: GI, C-Class (Heavy). Paint: UOM:-Price Per Running Meter Size: 150 mm</p>	Rmt.		

NO	ITEM	APPROVED MAKE
1	ALUMINIUM SECTION	JINDAL, ALU FAB, BALCO
2	ADHESIVE	FEVICOL BLUE COAT
3	CARPET FLOORING	DIVINE, HERITAG, UNITEX, ECOSOFT,
4	GLASSDOOR HARDWARE & FITTINGS	5M, DORMA, HETTICH, ENOX
5	GLASS	ASHAI, SAINTGOBAIN
6	FLUSH DOOR	GREENPLY-DOOR, CENTURY-DOOR, ARCHIDPLY-DOOR,
7	PLY	CENTUARY-SAINEEK, PROMEX,ORNETO,
8	LAMINATE (1MM ,1.5 mm)	BLOOM MICA, CENTURY MICA, TIMEX MICA,CPL
9	VINEER	CENTURY,TIMEX,ENGINEER
10	CEMENT SHEET	EVEREST, SHERA,ECO PRO
11	ALLUMINIUM HEAVY DUTY SECTION	HINDALCO, JINDAL, BANCO
12	GYPSUM BOARD FALSE CEILING	SAINT GOBAIN-GYPROC, USG BORAL,KNAUFF
13	GRID CEILING-LIGHT WEIGHT CALCIUM SILICATE BOARD	AEROLITE, RAMCO, ARMSTRONG
14	PAINT/PU	ASIAN, BERGER, ICI, NEROLAC
15	ANCHOR FASTNER AND BOLTS	HILTI, FISCHER
16	FABRIC	D DÉCOR, RESPONSE, VEROSOLO, OPERA,
17	WOOD BLINDS	VISTA, HUNTERDUGLUS, FARRARI,
18	GLASS FILM	3M, AVERY, LG,
19	HARDWARE & FITTING FOR FURNITURE	5M, KITCH, DORMA,ENOX, HETTICH, EBCO, DORMA
20	GLASS WOOL/SYNTHWOOL	ABSORB WOOL, ROCKWOOL,
21	PROFILE HANDLES	5M, KITCH, DORMA,ENOX, HETTICH, EBCO, DORMA
22	DOOR HARDWARE & ACCESSORIES	5M, KITCH, DORMA, ENOX, HETTICH,
23	ACRYLIC POLYMER PLUS ALUMINA TRIHYDRATE (CORIAN)	SAMSUNG LOTTE, DU PONT, MARINO,LG
24	Teak wood	Second class quality Indian Teak

Note: The budgetary offer is inclusive of all taxes, duties for performing the work & exclusive of GST.

Signature [In full and initials]:

Name & Title of Signatory:

Name of Agency:

Address:

