DEENDAYAL PORT AUTHORITY (Erstwhile: DEENDAYAL PORT TRUST)

Tel(O) : (02836) 220038, Fax : (02836) 220050

E Mail : kptdesignsection@gmail.com

kptemc@gmail.com

Website: www.deendayalport.gov.in

EG/WK/4751/Part (Ro-Pax)/ / 😽 🔿



Administrative Office Building

Post Box NO. 50 GANDHIDHAM (Kutch). Gujarat: 370 201.

Fax: (02836) 220050 Ph.: (02836) 220038

Dated:02/12/2024

To,
The Deputy Director General of Forests (C),
Ministry of Environment, Forest & Climate Change,
Integrated Regional Office, Gandhinagar,
A wing- 407 & 409, Aryan Bhawan,
Near CH-3 Circle,
Sector 10 A, Gandhinagar – 382 010.

Sub: Bifurcation (600 mt waterfront out of total 4800 mt) of Environmental and CRZ clearance issued to M/s Essar Bulk Terminal Limited for Expansion of Port Facility at Hazira, Surat, Gujarat – Submission of Compliance Report of Stipulated

Conditions rea.

Ref.: 1. Bifurcation (600 mt water front out of total 4800 mt) of Environmental and CRZ Clearance issued to M/s Essar Bulk Terminal Limited for expansion of port facility at Hazira, Surat, Gujarat by the MoEF&CC, GoI vide letter F. No. 11-46/2011 - IA III dated 4/4/2022.

- Environmental and CRZ Clearance for the expansion of port facility at Hazira, Surat, Gujarat by M/s Essar Bulk Terminal Ltd by the MoEF&CC, GoI vide letter F. No. 11-46/2011 - IA III dated 06/05/2014
- 3. DPT Letter no. EG/WK/4751/Part (Ro-Pax)/156 dated 05/08/2022
- 4. DPA letter no. EG/WK//4751/Part (Ro-Pax)/347 dated 07/08/2023
- 5. DPA letter no. EG/WK//4751/Part (Ro-Pax)/35 dated 18/03/2024

Sir,

It is requested to kindly refer above cited reference for the said subject.

In this regard, it is to state that, the MoEF&CC, GoI, New Delhi vide above mentioned letter dated 4/4/2022 cited at Reference 1 had issued Bifurcation of Environmental and CRZ Clearance accorded to M/s Essar Bulk Terminal Limited vide letter of even number dated 6th May, 2014 in the name of Deendayal Port Trust for "Development of 600 m Waterfront and 24 ha. Back up Area at Hazira, Surat by Deendayal Port Trust (Now: Deendayal Port Authority)".

In the said letter dated 4/4/2022, the MoEF&CC, GoI under Para 8 has mentioned that, Deendayal Port Authority shall comply with all the specific & general conditions stipulated in the EC & CRZ Clearance of even no. dated 6^{th} May, 2014 cited at Reference 2.

 	.Con	t

Accordingly, kindly find enclosed herewith compliance report of the conditions stipulated in the EC & CRZ Clearance granted by the MoEF&CC, GoI dated 6th May, 2014 (**Annexure 1**) & Monitoring Report in Data Sheet (**Annexure 2**) (for the period of December, 2023 to May, 2024) along with all the necessary annexures, for kind information and record please.

Further, as per the MoEF&CC, Notification S.O.5845 (E) dated 26.11.2018, which stated that "In the said notification, in paragraph 10, in sub-paragraph (ii), for the words "hard and soft copies" the words "soft copy" shall be substituted". Accordingly, we are submitting herewith soft copy of the same via e-mail ID iro.gandhingr-mefcc@gov.in

This has the approval of Chief Engineer, Deendayal Port Authority.

Yours faithfully,

Encl.: As above

Dy. Chief Engineer & EMC (I/c)
Deendayal Port Authority

Copy along with point wise compliance of stipulated conditions, to:

1) Shri Amardeep Raju,
Scientist E, Ministry of Environment, Forest and Climate Change,
& Member Secretary (EAC-Infra.1),
Indira Paryavaran Bhawan,
3rd Floor, Vayu Wing, Jor Bagh Road, Aliganj,
New Delhi- 110 003;
Email: ad.raju@nic.in

Shri Prasoon Gargav,
 Scientist E & Regional Director,
 Central Pollution Control Board,
 Parivesh Bhawan,
 Opp. VMC Ward Office No.10, Subhanpura,

Vadodara - 390 023.

Email: prasoon.cpcb@nic.in

3) Shri. M. R. Macwana, Unit Head, Surat, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector 10A, Gandhinagar- 382 010.

Email: uh-gpcb-sura@gujarat.gov.in

4) Dr. Jignasa D. Oza, The Regional Officer, Gujarat Pollution Control Board, Plot No: 11 – 12/2, 3 GIDC PANDESARA, SURAT - 394 221.

Email: ro-gpcb-sura@gujarat.gov.in

Compliance report (upto May, 2024)

Project: <u>Development of Ro-Ro/Ro-Pax Facility at Hazira by Deendayal Port Authority (600 m water front – 170 m berthing jetty and other allied structure viz. approach jetty, pontoons, link span etc. and 5 Ha. area (onshore facility).</u>

Status of Project: Under Operation Stage (RoRo/RoPax facility: 170 m berthing jetty and other allied structure viz. approach jetty, pontoons, link span etc. and 5 Ha. area (onshore facility)). As per bifurcated EC & CRZ Clearance dated 4/4/2022 issued by the MoEF&CC, GoI, DPA has obtained Fresh CCA (PCB Id: 88242) from GPCB vide Order dated 10/07/2023 with validity upto 26/07/2027.

However, for remaining development of onshore /offshore facility, DPA engaged Indian Ports Association, New Delhi. After receipt of report of IPA, further development will be undertaken.

Status of compliance of stipulated conditions mentioned in the EC & CRZ Clearance dated 6/5/2014:

Sr. No.	EC Condition	Compliance
6. Sp	ecific Conditions	
i.	Consent for Establishment shall be obtained from Gujarat Pollution Control Board under Air and Water Act and a copy shall be submitted to the Ministry before start of any construction work at the site.	As directed in the Bifurcated EC & CRZ Clearance issued by the MoEF&CC, GoI dated 4/4/2022, DPA also obtained Consent to Establish (CTE-55353) (after obtaining Environmental Clearance), vide dated 24/6/2022 (Copy once again attached – Annexure 1) from the Gujarat Pollution Control Board (under Water Act 1974 and Air Act 1981) in the name of DPA for development of 600 m waterfront and 24 ha back up area.
ii	Project Proponent shall appoint a consultant to look after and advice on the transportation of dangerous chemicals. Sensors for early detection of leakage of propylene and butadiene shall be provided at berths along with water sprinklers.	N/A. DPA developed Ro-Ro/Ro-Pax facility at Hazira which is being used for public conveyance and also for trailer, trucks, cars etc.
iii.	Project Proponent shall ensure proper flushing/free flow of tidal water to the mangroves.	The GMB had allotted land of 24 Hectares to Deendayal Port Authority devoid of Mangroves. However, due care is being taken for proper flushing/free flow of tidal water to the mangroves in surrounding areas.

iv.	Project Proponent shall submit once in 12 months the latest satellite imagery to	N/A.
	MoEF&CC to ensure that mangroves are remains fully intact. Any shrinkage in mangrove area noticed either in the satellite imaginary or during site visit, shall	The GMB had allotted land of 24 Hectares to Deendayal Port Authority devoid of Mangroves.
V	be taken as violation. The Project Proponent shall get third party	It is assured that third party will be
V	inspection carried out once in a year preferably by NEERI to ensure compliance of all the Environmental Clearance (EC) conditions.	engaged for inspection to ensure compliance of all the applicable EC conditions.
vi.	There shall be no encroachment of project	N/A.
	activities in the mangrove area. The various referral distances/latitudes/ longitudes as indicated in the enclosed map (Annexure-II) shall be maintained for the conservation of this mangrove area within the port limit.	The GMB had allotted land of 24 Hectares to Deendayal Port Authority devoid of Mangroves.
vii.	Stock yard on northern side (Hazira Village side) shall be provided with bund and wind	N/A.
	screen of atleast 15 mt height with well-designed water spray fogging arrangement along with three rows of trees in canopy formation.	DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.
viii.	The height of coal stack yard shall be at	N/A.
	least 2 feet below the height of wind curtain.	DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.
ix.	Green belt shall be provided all along stack yard and in the premises.	DPA had already developed required planation (area of about 7000 m2) within the Ro-Ro/Ro-Pax Terminal area.
x.	The existing coal conveyor from berth to stock yard shall be closed with cover since	N/A.
	the present water spray appears to be inadequate.	DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.
xi.	The transportation in the proposed facility shall be in closed conveyor only.	N/A.
		DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.
xii.	Natural drainage system shall be maintained so that there is free flow to the existing mangroves. Mangrove plantation in 500 ha of land in consultation with	The GMB had allotted land of 24 Hectares to Deendayal Port Authority devoid of Mangroves.
	GEC/Forests Department, Government of Gujarat.	However, due care is being taken so that Natural Drainage System will be maintained.

		As per the directions of the GCZMA and MoEF&CC, GoI, to date, DPA has undertaken a Mangrove Plantation in an area of 1600 Hectares since the year 2005. The details have already been communicated with the earlier compliance reports submitted.
		Further DPA has assigned work to to M/s GUIDE, Bhuj vide work order dated 10/06/2024 for "Mangrove Plantation in an area of 50 Ha for Deendayal Port Authority" for the period of 10/06/2024 to 09/03/2025. The work order is attached here with as Annexure 2
		For regular monitoring of mangroves, DPA engaged M/s GUIDE, Bhuj during the year 2017 & subsequently, vide work order dated 3/5/2021. The final report submitted by M/s GUIDE has already been communicated with the compliance report dated 05/08/2022.
		Further DPA has assigned work to M/s GUIDE, Bhuj vide work order dated 10/06/2024 for "Monitoring of Mangrove Plantation 1600 Ha carried out by DPA" for the Period of 10/06/2024 to 09/06/2025. The work order is attached herewith as Annexure 3
xiii.	There shall be no disposal of wastes in to the coastal areas.	It is assured that no disposal of wastes will be made in to the coastal areas.
xiv	Hazardous chemicals except the permissible Petroleum products shall not be stored within CRZ area. All the construction, storage shall be as per the CRZ Notification, 2011.	N/A. DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.
xv	All the conditions/recommendations stipulated by Gujarat Coastal Zone Management Authority (GCZMA) No.ENV-10- 2011-877-E dated 01.06.2013 shall be complied with.	The compliance of the conditions/recommendations stipulated by GCZMA vide letter dated 01/06/2013 applicable to this project is attached herewith as Annexure 4.
xvi	Oil spill Contingency plan shall be put in place.	No oil handling is envisaged in proposed RoRo/RoPax development. Oil spill can happen only during

		bunkering and collision of vessels. Hence, the oil spill scenario will be considered as Tier 1 (less than 700 tons). RoRo/RoPax operation is proposed and oil spill can occur only if there is any accident.
xvii	Hydrocarbon monitors with provision for	N/A.
AVII	alarms set at specific concentrations shall be installed at strategic locations on the berth and around storage tanks as per ISGOTT and OISD.	DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.
xviii	On site Emergency Management plan shall be put in place.	A copy of Disaster Management plan has already been communicated with the compliance report dated 05/08/2022.
xix	All the recommendation of the EMP, Risk	Point Noted for compliance.
	Assessment and DMP shall be complied with letter and spirit. All the mitigation measures submitted in the EIA report shall be prepared in a matrix format and the compliance for each mitigation plan shall be submitted to MoEF along with half yearly compliance report to MoEF-RO.	A copy of EMP prepared for the Development of Ro-Ro/Ro-Pax Facility at Hazira by Deendayal Port Authority and copy of Risk assessment and disaster management plan already been communicated with the compliance report dated 05/08/2022.
xx	The port shall ensure that the ship under operation follows the MARPOL convention regarding discharge or spillage of any toxic, hazardous or polluting material like ballast water, oily water or sludge, sewage, garbage etc. The emission of NOx and SOx shall remain within the permissible limits.	Point noted for compliance.
xxi	The hazardous wastes generated shall be collected and disposed as per rules, disposable wastes shall be sent to authorized TSDF. MoU in this regard shall be submitted to the Ro, MoEF along with the six monthly monitoring report.	Point Noted for compliance.
xxii	The dredging materials shall be utilized for reclamation and excess shall be disposed at the site identified by CWPRS.	Point Noted for compliance.
xxiii	A study to determine the reasons for	N/A.
	increase in cancer patient in the vicinity shall be carried out.	DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.
xxiv	A separate Environment Monitoring Cell shall be set up especially for this plant and details shall be submitted to the Ministry prior to the commencement of operation.	DPA is already having dedicated EMC. Further, DPA has also appointed expert agency for providing Environmental Experts from time to time. Recently, DPA

		appointed M/s Precitech Laboratories Pvt. Ltd., Vapi for three years vide work order dated 5/2/2021 (Copy of Work Order has already been communicated with the compliance report dated 05/08/2022). In addition, DPA has also appointed Manager (Environment) on contractual basis for a period of 3 years & further extendable for 2 years (Copy of the offer of appointment has already been communicated with the compliance report dated 05/08/2022).
xxv	Controlled cutter suction dredging shall be used along with the enclosure to contain the turbidity.	Point noted for compliance.
xxvi	The responses/commitments made during public hearing shall be complied with letter and spirit.	N/A.
xxvii	CSR activities shall cover the villages within 10 km radius. CSR for fishermen shall be carried out as committed.	As per the CSR Guidelines issued from time to time by the MoPSW, GoI, DPA since the year 2011-12 had carried out various CSR activities (Annexure 5).
xxviii	There shall be no ground water drawl within CRZ area	Point Noted for compliance.
xxix	Sewage shall be treated and the Treatment Facility shall be provided in accordance with the Coastal Regulation Zone Notification, 2011. The disposal of treated water shall confirm the regulation of State Pollution Control Board.	Septic Tanks has already been provided for treatment of sewage.
xxx	Solid Waste Management shall be as per Municipal Solid (Management and Handling) Rules, 2000.	Point Noted for compliance.
xxxi	The project shall be executed in such a manner that there shall not be any disturbance to the fishing activity.	The Ro-Ro Ro-pax facility is under operation.
xxxii	It shall be ensured that there is no displacement of people, houses or fishing activity as a result of the project.	Not Applicable. The Ro-Ro Ro-pax facility is under operation. The GMB had allotted 600 m water front & 24 Hectares land to Deendayal Port Authority.
xxxiii	No construction work other than those permitted in Coastal Regulation Zone Notification shall be carried out in Coastal Regulation Zone area.	Currently, the Ro-Ro Ro-pax facility is under operation.

xxxiv	The project proponent shall set up separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.	DPA is already having dedicated EMC. Further, DPA has also appointed expert agency for providing Environmental Experts from time to time. Recently, DPA appointed M/s Precitech Laboratories Pvt. Ltd., Vapi for three years vide work order dated 5/2/2021 (Copy of Work Order has already been communicated with the compliance report dated 05/08/2022).
		In addition, DPA has also appointed Manager (Environment) on contractual basis for a period of 3 years & further extendable for 2 years (Copy of the offer of the appointment has already been communicated with the compliance report dated 05/08/2022).
xxxv	The funds earmarked for environment management plan shall be included in the budget and this shall not be diverted for any other purposes.	The allocation made under the scheme of "Environmental Services & Clearance thereof other related Expenditure" during BE 2023-2024 is Rs. 274 Lakhs.
7. GE	NERAL CONDITIONS :	
i.	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality.	Currently, the Ro-Ro Ro-pax facility is under operation.
ii.	Full support shall be extended to the officers of this Ministry/ Regional Office at Bhopal by the project proponent during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and other environmental protection activities.	extended to the officers of this
iii.	A six-Monthly monitoring report shall need to be submitted by the project proponents to the Regional Office of this Ministry at Bhopal regarding the implementation of the stipulated conditions.	DPA had assigned the work of monthly environmental monitoring to M/s A 2 Z Envirotech vide Work Order dated 15/09/2022. (A copy of the same has already been communicated with the last compliance report submitted).
		Recently, DPA has assigned the work of monthly environmental monitoring to GEMI, Gandhinagar for a period of 3 years vide work order dated 18/04/2023. The work is in

		progress, and the latest quarterly environmental monitoring report submitted by GEMI, Gandhinagar, is attached herewith as Annexure 6 .
iv.	Ministry of Environment & Forests or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary in the interest of environment and the same shall be complied with.	Point Noted.
V.	The Ministry reserves the right to revoke this clearance if any of the conditions stipulated are not complied with the satisfaction of the Ministry.	Point Noted.
vi.	In the event of a change in project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment and Forests.	Point Noted.
vii.	The project proponents shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.	The Board of Deendayal Port Authority vide resolution no. 101 in its meeting held on 16/1/2021 had accorded approval to the project (Copy of Board Resolution has already been communicated with the compliance report dated 05/08/2022).
		Accordingly, DPA issued work order to the contractor M/s Marymatha Infrastructure Pvt. Ltd., JV M/s BMS Projects Pvt. Ltd., Cochin vide letter no. CN/WK/1600/Pre-Bid/10 dated 15/4/2021 (Copy of work order has already been communicated with the compliance report dated 05/08/2022.).
		Currently, the Ro-Ro Ro-pax facility is under operation.
viii.	A copy of the clearance letter shall be marked to concern Panchayat/local NGO, if any, from whom any suggestion/representation has been made received while processing the proposal.	N/A.
ix.	Gujarat Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industries Center and Collector's Office/Tehsildar's office for 30 days.	
8.	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of	Point Noted.

	Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 1994, including the amendments and rules made thereafter.	
9.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.	Point Noted for compliance.
10.	The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental and CRZ Clearance and copies of clearance letters are available with the Gujarat Pollution Control Board and may also be seen in the website of the Ministry.	Deendayal Port Authority had already given advertisement in two newspapers i.e. GUJARAT SAMACHAR (Surat Edition (In Gujarati)) dated 07/04/2022 & THE TIMES OF INDIA (Surat Edition (In English)) dated 08/04/2022, w.r.t. bifurcation of EC & CRZ Clearance accorded by the MoEF&CC, GoI dated 4/4/2022.
		The copies of the above advertisement given had already been informed to the integrated Regional Office, MoEF&CC, GoI, Gandhinagar vide letter dated 23/4/2022 (Copy has already been communicated with the compliance report dated 05/08/2022)
11.	This clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this project. Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Point Noted. Point Noted.
13	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the project proponent in its website.	DPA had already uploaded compliance report submitted dated 5/8/2022 to the Integrated Regional Office, MoEF&CC, GoI, Gandhinagar.
		However, for subsequent period also, it is assured that w.r.t. subject project, the status of compliance to the various stipulated environmental

		conditions will be uploaded by DPA in website www.deendayalport.gov.in .
14	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	A copy of Bifurcation of EC & CRZ Clearance accorded by the MoEF&CC, GoI dated 4/4/2022 had already been uploaded in the website of DPA i.e. www.deendayalport.gov.in.
15	The proponent shall upload the status of compliance of the stipulated Clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB.	The status of compliance to the various stipulated environmental conditions are being uploaded by DPA in website www.deendayalport.gov.in (DPA had already uploaded compliance report submitted dated 5/8/2022 to the Integrated Regional Office, MoEF&CC, GoI, Gandhinagar) and will also be updated the same periodically. Further, the same will be sent to the Regional Office, MoEF&CC, Gandhinagar & to the CPCB, Vadodara & GPCB, Gandhinagar.
16	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Clearance conditions including results of monitored data (both in hard copies as well as by email) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB	DPA had already uploaded compliance report submitted dated 5/8/2022 to the Integrated Regional Office, MoEF&CC, GoI, Gandhinagar. However, for subsequent period also, it is assured that w.r.t. subject project, six monthly reports on the status of compliance to the various stipulated Clearance conditions including results of monitoring data will be submitted to the Regional Office, MoEF&CC, Gandhinagar & to the CPCB, Vadodara & GPCB, Gandhinagar.
17	The environmental statement for each financial year ending 31" March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with	Point noted. The Ro-Ro Ro-pax facility is under operation. As per bifurcated EC & CRZ Clearance dated 4/4/2022 issued by the MoEF&CC, GoI, DPA has obtained CCA (PCB Id: 88242) from GPCB vide Order dated 10/07/2023 with validity upto 26/07/2027 (Copy - Annexure 7)

the status of compliance of Clearance conditions and shall also be sent to the respective Regional Office of MoEF&CC by e-mail.	





PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382010

Phone: (079) 23222425

(079) 23222152

Fax: (079) 23232156

Website: www.gpcb.govin

Application For CTE after EC

File No: GPCB/ (PCB ID. - 88242)

CTE-55353

To

M/s. Deendayal Port Authority.

, Essar Bulk Terminal Ltd, Adani Hazira Port Rd, Hazira Gam, Suvali, Hazira, Gujarat 394270,

City:Hazira, Dist: Surat,

Taluka: Chorasi

Sub: Consent to Establish (After obtaining Environment Clearance) under Section 25 of Water Act 1974 and Section 21 of Air Act 1981.

Ref: (1) Your online application No. 257450 dated 12/05/2022

(1) Environment Clearance issued by Central Authority vide their letter no. F.No.11-46/2011-IA.III Dated 04/04/2022

Sir,

Without prejudice to the powers of this Board under the Water (Prevention and Control of Pollution) Act-1974, the Air Act-1981 and the Environment (Protection) Act-1986 and without reducing your responsibilities under the said Acts in any way, this is to inform you that this Board grants Consent to Establish (After obtaining Environment Clearance) under Section 25 of Water Act 1974 and Section 21 of Air Act 1981 for manufacturing of products as mentioned into the Environment Clearance (EC) granted vide letter under reference no (2) above.

Consent To Establish Is Granted Subject To The Following Conditions: -

- 1) The validity period of this CTE shall be Seven Years from the issue of this order.
- 2) Applicant shall strictly comply with all conditions stipulated by competent authority in the order of Environment Clearance issued vide letter under reference No.: 2 above.
- 3) The applicant shall however, not without the prior concern of the Board. Bring into use any new or altered outlet for the discharge of effluent or gaseous emission or sewage waste from the proposed industrial plant. The applicant is required to make applications to this Board for this purpose in the prescribed forms under the provisions of the water Act 1974, the Air 1981 and the Environment (Protection) Act 1986.

106/2022

For and on behalf of Gujarat Pollution Control Board

> J.D.OZA ROH Head - Surat

This order is issued to <u>Essar Bulk Terminal Ltd, Adani Hazira Port Rd, Hazira Gam, Suvali, Hazira.</u>

<u>Gujarat 394270, City: Hazira, Dist: Surat, Taluka: Chorasi (88242)</u> for CTE amendment after obtaining EC.

Printed On: 23/06/2022

Page 1 of 1

GPCB ID: 88242

DEENDAYAL PORT AUTHORITY



Website: www.deendayalport.gov.in

Administrative Office Building

Post Box NO. 50

GANDHIDHAM (Kutch)

Gujarat: 370 201. Fax: (02836) 220050 Ph.: (02836) 220038

Email: kptemc@gmail.com

NO. EG/WK/4751/Part (Revamping – EC onwards)/69 Dated: 10 /06/2024

To,

The Gujarat Institute of Desert Ecology,

P.O.Box No. 83, Opp.Changleshwar Temple, Mundra Road,

Bhuj (Kachchh)- 370 001, Gujarat (India).

Tel.: 02832-329408, 235025.

Tele/Fax: 02832-235027

Email: desert_ecology@yahoo.com.

Kind Attn.: Dr. V. Vijay Kumar, Director, GUIDE, Bhuj.

Sub: Mangrove Plantation in an area of 50 Hectares for Deendayal Port Authority reg.

Ref.: 1) DPA request vide letter no. EG/WK/4751/Part (Revamping - EC onwards)/55 dated 15/4/2024.

2) Offer submitted by GUIDE, Bhuj vide letter no. GUIDE/DPA/MP/72/2024 dated

08/05/2024.

Sir,

Your offer for the subject work submitted vide above referred letter dated 8/5/2024 (Copy attached- Annexure A) amounting to Rs. 25,00,000.00 + applicable GST (Rupees Twenty-Five Lakhs plus applicable GST) including all terms & conditions mentioned in the offer letter, has been accepted by the competent authority in DPA.

2. Scope of Work:

In order to comply with the stipulated condition of the EC & CRZ Clearance dated 1/1/2024 read with CRZ Recommendation dated 25/8/2022 - Condition no.7, Mangrove Plantation [50 Ha] to be carried out for DPA with the objective to find out potential and suitable sites for Mangrove plantation in consultation with the District Forest Department office and Gujarat Ecology Commission. The Mangrove plantation activities under this project will cover two mangrove species, i.e. Avicennia marina and Rhizophora mucronata.

3. The terms of payment:

- 50% of project budget to be paid within 15 days after submission of Inception (i) report.
- 30% of project budget to be paid within 15 days on completion of Nursery (ii) preparation.
- (iii) 10% of project budget to be paid within 15 days on completion of 50 Ha. plantation.
- (iv) 10% of budget to be paid within 15 days on submission of Final report.

.....Cont.....

Obligation of DPA:

- Assistance regarding the statutory clearance from authorities concerned to be rendered by DPA for field visits.
- Study area map along with GPS coordinates, if any, is to be provided by the DPA.
- 5. Time Period: 9 months from the date of issue of the work order i.e. from 10/06/2024 to 09/03/2025.
- **6.** Kindly send the acknowledgement of this work order & start the work immediately.

Thanking you.

Yours faithfully,

Deputy Chief Engineer & EMC (i/c)
Deendayal Port Authority

DEENDAYAL PORT AUTHORITY



Administrative Office Building Post Box NO. 50 GANDHIDHAM (Kutch). Gujarat: 370 201.

Fax: (02836) 220050 Ph.: (02836) 220038

www.deendayalport.gov.in

NO.EG/WK/4751/Part (Marine Ecology Monitoring) 10 Dated : 10 /06/2024

To,

The Gujarat Institute of Desert Ecology,

P.O.Box No. 83,

Opp. Changleshwar Temple, Mundra Road,

Bhuj (Kachchh)- 370 001, Gujarat (India).

Tel.: 02832-329408, 235025.

Tele/Fax: 02832-235027

Email: desert ecology@yahoo.com

Kind Attn.: Dr.V.Vijay Kumar, Director, GUIDE, Bhuj.

<u>Sub:</u> Monitoring of Mangrove Plantation 1600 Hectares carried out by DPA (Statutory Requirement) reg.

Ref.:1) DPA request vide letter no. EG/WK/4751/Part (Marine Ecology Monitoring)/23 dated 12/2/2024.

2) Offer submitted by GUIDE, Bhuj vide letter no. GUIDE/DPA/Offer/ Mang. Plant/13 dated 4/4/2024.

Sir,

Your offer for the subject work submitted vide above referred letter dated 4/4/2024 (Copy attached – Annexure A) amounting to Rs. 33,60,000.00 + 18% GST (Rupees Thirty-Three Lakhs and Sixty Thousand only plus eighteen percent GST) with all terms & conditions mentioned in the offer letter, has been accepted by the competent authority in DPA.

2. Scope of work:

Monitoring of Mangrove Plantation (1600 Hectares) carried out by DPA (statutory requirement). The monitoring study will cover components such as density, diversity and abundance. Other variables such as canopy cover, GBH, height, along with the recruitment and regeneration classes will also be investigated. Additionally, carbon sequestration potential of the plantation will also be studied in view of Climate Change mitigation measures.

......Cont.....



3. The terms of payment:

- i) 50 % of the project budget should be paid within 15 days from the date of Submission of Inception Report by GUIDE, Bhuj.
- ii) 25% of the project budget should be paid within 15 days from the date of submission of Draft report by GUIDE, Bhuj.
- iii) 25% of the project budget should be paid within I5 days from the date of submission of Final report by GUIDE, Bhuj.

4. Obligation of DPA:

- Assistance regarding the statutory clearance from concerned authorities to be rendered by DPA for field visits.
- Study area map along with GPS co-ordinates is to be provided by the DPA.
- 5. Time Period: One year (One time monitoring in a year) i.e. from 10/6/2024 to 09/6/2025.
- **<u>6.</u>** Kindly send the acknowledgement of this work order & start the work immediately.

Thanking you.

Yours faithfully,

Dy. Chief Engineer & EMC (I/c)
Deendayal Port Authority

Compliance report (upto May, 2024)

Project: <u>Development of Ro-Ro/Ro-Pax Facility at Hazira by Deendayal Port Authority (600 m water front – 170 m berthing jetty and other allied structure viz. approach jetty, pontoons, link span etc. and 5 Ha. area (onshore facility).</u>

Status of Project: Under Operation Stage (RoRo/RoPax facility: 170 m berthing jetty and other allied structure viz. approach jetty, pontoons, link span etc. and 5 Ha. area (onshore facility)). As per bifurcated EC & CRZ Clearance dated 4/4/2022 issued by the MoEF&CC, GoI, DPA has obtained CCA (PCB Id: 88242) from GPCB vide Order dated 10/07/2023 with validity upto 26/07/2027.

Reference:

- MoEF&CC, GoI, vide letter dated 4/4/2022 issued Bifurcation of EC&CRZ Clearance accorded to M/s Essar Bulk Terminal Limited vide letter dated 6th May, 2014 by MoEF&CC, GoI in the name of Deendayal Port Trust (Now Deendayal Port Authority).
- Condition no. (xv) under Specific Conditions "All the conditions/recommendations stipulated by Gujarat Coastal Zone Management Authority (GZCMA) No. ENV 10-2011-877-E dated 01/06/2013" of Environmental and CRZ Clearance accorded to M/s Essar Bulk Terminal Limited vide letter dated 6th May, 2014 by MoEF&CC, GoI.

Status of compliance of conditions stipulated in the CRZ Recommendation dated 01/06/2013:

SI. No.	EC Condition	Compliance
1.	The provisions of the CRZ Notification of 2011 shall be strictly adhered to by M/s EBTL. No activity in contradiction to the provisions of the CRZ Notification shall be carried out by M/s EBTL.	With regard to Ro-Ro/Ro-Pax Facility developed by DPA, the provisions of the CRZ Notification of 2011 are being strictly adhered to by DPA and no activity in contradiction to the provisions of the CRZ Notification is being carried out.
2.	Natural drainage system shall be designed in such a way that there shall be no damage to the existing mangrove patches nearby site.	The GMB had allotted land of 24 Hectares to Deendayal Port Authority devoid of Mangroves. However, due care is being taken so that Natural Drainage System will be maintained.
3.	The Essar Bulk Terminal Limited shall take up mangrove plantation in 500 ha of land in consultation with GEC/Forest department.	As per the directions of the GCZMA and MoEF&CC, GoI, to date, DPA has undertaken a Mangrove Plantation in an area of 1600 Hectares since the year 2005. The details have already been communicated with the earlier compliance reports submitted.

		Further DPA has assigned work to to M/s GUIDE, Bhuj vide work order dated 10/06/2024 for "Mangrove Plantation in an area of 50 Ha for Deendayal Port Authority" for the period of 10/06/2024 to 09/03/2025. The work order is attached here with as Annexure 1
		For regular monitoring of mangroves, DPA engaged M/s GUIDE, Bhuj during the year 2017 & subsequently, vide work order dated 3/5/2021. The final report submitted by M/s GUIDE has already been communicated with the compliance report dated 05/08/2022. Further DPA has assigned work to M/s GUIDE, Bhuj vide work order dated 10/06/2024 for "Monitoring of Mangrove Plantation 1600 Ha carried out by DPA" for the Period of 10/06/2024 to 09/06/2025. The work order is attached herewith as Annexure 2
4.	Coal, ore and other material handling shall be done through totally closed system.	N/A. DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and
5.	All necessary permissions from different Government Departments/agencies, including GMB, shall be obtained by M/s EBTL, before commencing the activities.	also for trailer, trucks, cars etc. The Ministry of Ports, Shipping & Waterways, Government of India appointed Deendayal Port Authority (Erstwhile: DPT) as its nominee to take over the Project assets under the Concession Agreement (at Ghogha and Dahej terminals and the maintenance dredging at Dahej terminal) and also the assets at Hazira for the Ro-Pax ferry service. For the purpose, the 600m waterfront along with 24 ha backup land is allotted to Deendayal Port Authority by the Gujarat Maritime Board, GoG at Hazira for developing Ro-Ro/Ro-Pax Facility at Hazira Copy of GMB has already been communicated along with last compliance report. As directed in the Bifurcated EC & CRZ
		Clearance issued to DPA by the MoEF&CC,

		GoI dated 4/4/2022, DPA has obtained the CCA from the Gujarat Pollution Control Board (under Water Act 1974 and Air Act 1981) in the name of DPA for development of 600 m waterfront and 24 ha back up area vide GPCB letter no. GPCB/CCA-SRT-2458/ID-88242/74790 dated 13/07/2023 (Copy – Annexure 3).
6.	All the recommendations and suggestions given by WAPCOS in their Environmental Impact Assessment reports for conservation/ protection and betterment of environment shall be implemented strictly by M/s EBTL.	Point noted.
7.	The construction and operational activities shall be carried out in such a way that there is no negative impact on mangroves, if any, and other important coastal / marine habitats. Construction activity shall be carried out only under the guidance/ supervision of the reputed institute / organization.	The GMB had allotted land of 24 Hectares to Deendayal Port Authority devoid of Mangroves. However, due care is being taken so that there is no negative impact on mangroves, if any, and other important coastal/ marine habitat. The Ro-Ro/Ro-pax facility is under operation.
8.	M/s EBTL shall strictly ensure that no rivers are blocked due to any activity at the proposed site.	It is assured that; due care is being taken by DPA so that no rivers are blocked due to any activity at the project site.
9.	The construction debris and / or any other type of waste shall not be disposed of in to the sea, creek or in the CRZ area. The debris shall be removed from the construction site immediately after construction is over.	Currently, the Ro-Ro/Ro-pax facility is under operation.
10.	The construction camps shall be located outside the CRZ area and the construction labour shall be provided with the necessary amenities, including sanitation, water supply and fuel and it shall be ensured that the environmental conditions are not deteriorated by the construction labours.	Currently, the Ro-Ro/Ro-pax facility is under operation.
11.	M/s EBTL shall bear the cost of the external agency that may be appointed by this department for	Currently, the Ro-Ro/Ro-pax facility is under operation.

	supervision / monitoring of proposed activities and the environmental impacts of the proposed activities.	
12.	The groundwater shall not be tapped within the CRZ areas by the EBTL to meet with the water requirements in any case.	Water requirements are met through private tankers.
13.	M/s EBTL shall take up massive greenbelt developmental activities in consultation with Forest Department / GEER Foundation / Gujarat Ecology Commission. A comprehensive plan for this purpose has to be submitted to the Forest and Environment Department.	DPA had already developed required plantation (area of about 7000 m²) within the Ro-Ro/Ro-Pax Terminal area .
14.	The EBTL shall have to take up bioshielding development programme as part of CSR in consultation with Forest Department / PCCF and an action plan in this regard shall have to be submitted to the MoEF, GoI and this department.	Not Applicable. DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.
15.	The EBTL shall have to contribute financially for taking up the socio-economic upliftment activities in this region in consultation with the Forest and Environment Department and the District Collector / District Development Officer.	As per the CSR Guidelines issued from time to time by the MoPSW,GoI, DPA since the year 2011-12 had carried out various CSR activities (Annexure 4).
16.	A separate budget shall be earmarked for environmental management and socio-economic activities including the greenbelt/ mangrove plantation and details thereof shall be furnished to this Department as well as the MoEF, GoI. The details with respect to the expenditure from this budget head shall also be furnished along with the compliance report.	The allocation made under the scheme of "Environmental Services & Clearance thereof other related Expenditure" during BE 2023-2024 is Rs. 274 Lakhs. The expenditure made under the scheme of "Environmental Services & Clearance thereof other related Expenditure" is Rs. Approx. Rs. 657 Lakhs from Dec, 2023 to May 2024.
17.	A separate Environmental Management Cell with qualified personnel shall be created for environmental monitoring and	DPA is already having dedicated EMC. In this regard, DPA has also appointed expert agency for providing Environmental Experts from time to time. Currently, DPA

	management during construction and operational phases of the project.	appointed M/s Precitech Laboratories Pvt. Ltd., Vapi for three years vide work order dated 5/2/2021 (Copy of work order has already been communicated with the compliance report dated 05/08/2022).
		In addition, DPA has also appointed Manager (Environment) on contractual basis for a period of 3 years & further extendable for 2 years (Copy of offer of appointment has already been communicated with the compliance report dated 05/08/2022.)
		Further, DPA had assigned the work of monthly environmental monitoring to M/s A 2 Z Envirotech vide Work Order dated 15/09/2022. The copy of the monitoring report has already been communicated with the last compliance report.
		Recently, DPA has assigned the work of monthly environmental monitoring to GEMI, Gandhinagar for a period of 3 years vide letter dated 18/04/2023. The work is in progress and the latest quarterly report submitted by GEMI is attached herewith as Annexure 5 .
18.	Environmental Audit report indicating the changes, if any, with respect to the baseline environmental quality in the coastal and marine environment shall be submitted every year by M/s EBTL to this department as well as to the MoEF, GoI.	Point noted for compliance.
19.	A six monthly report on compliance of the conditions mentioned in this letter shall have to be furnished by M/s EBTL on a regular basis to this Department as well as to the Ministry of Environment and Forest, Government of India.	It is assured that w.r.t. subject project, six monthly report on compliance of the conditions mentioned in this letter will be furnished by DPA on a regular basis to GCZMA as well as to the Regional Office, MoEF&CC, GoI.
20.	Any other condition that may be stipulated by this Department /	Point noted.

Ministry of Environment and Forest,
Government of India from time to time
for Environmental Protection /
management purpose shall also have
to be complied with by M/s EBTL.

CSR Works for the year 2018-19

<u>Sr.</u> No	Activity/Work	Approved Cost (In lakhs)
1.	CSR work to Donate 100 Nos of Computers to Daughters of Martyred Soldiers in the country under the "BETI BACHAO BETI PADHAO" program by Atharva Foundation, Mumbai	24.00
2.	CSR work to Donate ONE (40 Seater) School Bus for Deaf Children Students for the Institute of Mata Lachmi Rotary Society, Adipur	18.00
3.	CSR work to Providing One R.O Plant with Cooler at Panchyat Prathmik Sala, Galpadar Village for the ANARDE Foundation, Kandla & Gandhidham Center.	1.50
4.	CSR work for Providing Drainage Line at Meghpar Borichi village, Anjar Taluka.	25.00
5.	CSR work for Construction of Health Centre at Kidana Village	13.00
6.	CSR work to provide 4 Nos. of Big Dust Bin for Mithi Rohar Juth Gram Panchayat.	3.40
7.	CSR work for Renovation & construction of shed at Charan Samaj, Gandhidham –Adipur.	10.00
8.	CSR Work for Renovation/Repairing of Ceiling of School Building at A. P Vidhyalay, Kandla.	10.00
9.	CSR work for Construction of Over Head Tank & Providing 10 Nos of Computers (for students) of Navjivan Viklang Sevashray, Bhachau, Kutch	9.50
10.	CSR work to Provide Books & Tuition fees for Educational facilities to weaker section children of Valmiki Samaj, Kutch.	2.00
11.	CSR work to provide Water Purifier & Cooler for the ST. Joseph's Hospital, Gandhidham	1.50
12.	CSR work for Construction of Second Floor (Phase – I) for Training Centre of "Garbh Sanskran Kendra" "Samarth Bharat Abhiyan" of Kutch KalyanSangh, Gandhidham	37.00
	Total Approved Work Amount:	154.90 Lakh

CSR Works for the year 2019-20

<u>Sr.</u> No	Name of Scheme	Approved Cost (Rs. In Lakhs)
1.	CSR activities for Providing Drainage line at Nani Nagalpar village.	3.00
2.	CSR activities for Development of ANGANWADI Building at School no- 12 at Ward no 3 & 6 at Anjar.	7.00
3.	CSR activities for Improving the facilities of Garden at Sapna Nagar(NU-4) & (NU-10 B), Gandhidham.	18.00
4.	CSR activities for development of School premises of Shri Guru Nanak Edu. Society, Gim.	30.00
5.	CSR activities for the improvement of the facilities at St JOSEPH Hospital & Shantisadan at Gandhidham	20.00
6.	Consideration of Expenditure for running of St Ann's High School at Vadinar of last five years 2014 to 2019 under CSR.	825.00
7.	CSR activities for development of school premises of Shri Adipur Group Kanya Sala no-1 at Adipur	6.50
8.	CSR activities for development of school premises of Shri Jagjivan Nagar Panchyat Prathmiksala, Gandhidham.	16.50
9.	CSR activities for development of school premises of Ganeshnagar Government high school, Gandhidham.	9.00
10.	CSR activities for improving greenery, increase carbon sequestration and beat Pollution at Kandla, DPT reg.	352.32
11.	CSR activities for providing infrastructures facilities at "Bhiratna Sarmas Kanya Chhatralaya" under the Trust of SamajNav- Nirman at Mirjapur highway, Ta Bhuj.	46.50
	Total Approved Work Amount:	1333.82 Lakh

CSR Works for the year 2020-21

Sr. No	Name of Scheme	Approved Cost (Rs. In Lakhs)
1.	CSR Proposal for earmarking of 15% Funds for National Maritime Heritage Complex, Lothal, Gujarat (NMHC) from allocated CSR Fund of Rs 3.46 Cr	51.90
2.	PM Care Fund	800.00
3.	Other COVID related exp.	188.00
	Total Approved Work Amount:	1039.90 Lakh

CSR Works for the year 2021-22

Sr. No	Name of Scheme	Approved Cost
		(Rs. In Lakhs)
1.	CSR Activities for providing Water supply pipe line for drinking water	20
	facilities for poor people & Fishermen at VANDI Village.	
2.	CSR activities for providing facilities in Girls Hostel of Kasturba	30
	Gandhi Balika Vidhyalay, Gandhidham.	
3.	CSR works for Construction of Auditorium Hall at RSETI (Rural Self	16
	Employment Training Institute) at Bhujodi-Bhuj.	
4.	CSR works for the providing of SOLAR POWER SYSTEM and other	9.3
	facilities for 0the JEEV SEVA SAMITI at Gandhidham.	
5.	CSR Activities for providing HD projector for KANYA MAHA	1.5
	VIDYALAYA, Adipur	
6.	CSR works for Construction of New Building for Setting up of skill	250
	development centre at Rajkot (Sewa Gujarat).	
	CSR Works for Ladies Environment Action Foundation (LEAF) Trust	
	for providing infrastructure to the primary school at Gandhinagar	
7.	District	46.5
	CSR works lor Providing of Furniture for the School "Shri Galpadar	
	Panchayat Prathmic Kumar group Sala" at Galpadar village, Taluka:	
8.	Gim	5
	Total Approved Work Amount:	378.30 Lakh

CSR Works for the year 2022-23

<u>Sr.</u> <u>No</u>	Name of Scheme	Approved Cost (Rs. In Lakhs)
1.	CSR work for providing One Bore hole with construction one room along with Motor pump at Village MOTI NAGALPAR, Anjar.	18.00
2.	CSR work for Construction of Shamashan bhoomi (Crematorium) at Gandhidham.	49.50
3.	CSR work for providing metallic sheet DOME in Community Hall at Old Sunderpuri for Shri Juni Sundarpuri Maheshwari Samaj at Gandhidham.	15.00
4.	CSR Activities for construction of Samajwadi at village: Rampar, Taluka: Anjar.	15.00
5.	Financial assistance under CSR for providing basic facilities at Gandhidham GSRTC bus station.	25.00
6.	CSR Activities for construction of School Building for physically disabled, deaf & mute children, Shri & Shrimati Chhaganlal Shyamjibhai Virani Behera Munga Shala Trust, Virani Deaf School at Rajkot.	5.00

7.	CSR work for construction of new Administrative staff block for the Maitri Maha Vidhyalaya, Adipur.	80.10
8.	Financial support under CSR for providing 60 seater school bus for "Aadhaar Sankul", Manav Seva Trust, Gandhidham.	25.00
9.	Financial assistance under CSR for Rooftop Solar System & Afforestation under clean energy & sustainable development in 10 villages around DPA	63.72
10.	CSR works for Shree Kachchh Mahila Kalyan Kendra, Bhuj-Kutch	55.00
11.	CSR works for Installation of 125 no. Sanitary Pad Vending Machines at Women Hostels, NGOs etc, in Kutch District.	15.00
12.	CSR Fund for Vadinar Village & surrounding	128.54
13.	CSR Activities for Girls Hostel at Kasturba Gandhi Balika Vidhyalaya At Shinay, Taluka:Gim	33.25
14.	CSR request for Allotment of fund for construction of Community hall at Adipur.	25.00
15.	CSR Request for requirement of funds for renovation work in Sector-7, Gandhidham (Aryasamaj Gandhidham)	30.00
16.	CSR Request for providing"Antim Yatra Bus" & Mortuary Cabinet Morgue" for Adipur-Gandhidham from CSR Funds,	25.00
17.	CSR Request for creation of a Children park at Gandhidham Military Station, Gandhidham	15.00
18.	CSR Request for construction of Toilet block units for Girls & Boys NAV JIVAN VIKLANG SEVA SHREY Bhachau	3.04
19.	CSR Request for laying Synthetic Athletic track in Galpadar and to Provide One E-Kart facility for Conveyance of youths at BSF Campus, Gandhidham	75.00
20.	CSR request for submitted by AAS, Indore for solid waste Management at Gandhidham & Kandla.	60.00
21.	CSR request from Trikamsaheb Manav Seva Trust at Madhapar Near Bhuj for grant for Construction of Community Hall, Compound Wall etc.	40.00
22.	CSR Request for construction of Dome shaped shed at Rampar Village Prathmik Shala, Rampar	24.00
23.	CSR Fund for development of School premises of Shri Guru Nanak Education Society, Gandhidham	4.50
24.	CSR Request for conducting Awareness campaigns on T.B. Prevention & treatment, Mumbai	60.00

	Total Approved Work Amount:	1118.42 Lakh
31.	CSR Request received from Anjar Education Society to the Extent of Rs 35 Lakhs for Installation of 75 KVA Capacity Solar power system.	35.00
30.	CSR Request for financial Assistance on menstrual Hygiene for girls, Assam-TIPKAI	20.00
29.	CSR support for the Junagadh Hospital Project under the CSR Initiatives	30.24
28.	CSR Funds for support for Procurement of kitchen Equipment & machineries to Serve Mid-day meals to Govt. School children in Bhuj-Kutch	55.31
27.	CSR funds for requirement of Mentally disabled childrens in Adipur, Kutch	70.83
26.	CSR proposal project for Sanitary Pad Making Machine For School Girls.	12.39
25.	CSR Request for fund Under CSR for Railway institute, Gandhidham, Western Railway	5.00



Forests & Environment Department Government of Gujarat

Quartely Environmental Monitoring Plan Report (EMP report) For

"Preparing and Monitoring of Environmental Monitoring and Management Plan for Deendayal Port Authority at Dahej-Hazira-Ghogha for a period of 3 years"

(January to April 2024)
Final Report

Submitted to:
Deendayal Port Authority (DPA), Kandla





Gujarat Environment Management Institute (GEMI)

(An Autonomous Institute of Government of Gujarat)

GEMI Bhavan, 246-247, GIDC Electronic Estate, Sector-25, Gandhinagar 382024

"An ISO 9001:2015, ISO 14001:2015 and ISO 45001:2018 Certified Institute"

Final Quarterly EMP report (13th Jan 2024 to 12th Apr 2024)



© Gujarat Environment Management Institute (GEMI) Quarterly report (13th Jan 2024 to 12th Apr 2024) August 2024.

All rights reserved



About this Document

Gujarat Environment Management Institute (GEMI) has been assigned with the project "Preparing and Monitoring of Environmental Monitoring and Management Plan for Deendayal Port Authority at Dahej-Hazira-Ghogha for a period of 3 years" by Deendayal Port Authority, Kandla. Under the said project the report titled "Final Quarterly Environmental Monitoring Plan Report (13th Jan 2024 to 12th Apr 2024)" has been prepared.

Name of the Report: Final Quarterly Environmental Monitoring Plan report for

"Preparing and Monitoring of Environmental Monitoring and Management Plan for Deendayal Port Authority at Dahej-Hazira-Ghogha for a period of 3 years" (13th Jan 2024 to 12th

Apr 2024)"

Version: 1.0

Report Ref. No.: GEMI/835(6)/2024/110

Report Issue Date: 05/08/2024



This page intentionally left blank



DEDICATED TEAM

Overall Guidance and Supervision

Dr. Jaipal Singh, IFSDirector, GEMI

Dr. Nitasha Khatri

Senior Scientific Officer and Laboratory Head

Project Head

Jalpa Darji

Deputy Environmental Engineer & Unit Head

Project Manager

Ankita Modi

Assistant Environmental Engineer

Contribution by

Mr. Pritish Shrimali

Mr.	Yagneshkumar Pandit	
-----	---------------------	--

Ms. Nishi Shah

Project Assistant

Mr. Ashish Patata

Niharika Parmar

Senior Scientific Assistant

Project Assistant

Mr. Anand Gosai

1121112522522 2 000000	1,11,11,11,11,11,11,11,11,11,11,11,11,1	1,11,111,111,111,111,111,111,111
Project Manager (Ghogha)	Project Manager (Hazira)	Project Manager (Dahej)
	Lab Analysis	
	Ms. Harshida Modi Scientific Officer	
Mr. Jayeshkumar Patel	Ms. Pooja Pathak	Ms. Shanky Bhat
Scientific Officer	Scientific Officer	Scientific Officer
Ms. Pinal Patel	Mr. Utsav Gandhi	Mr. Viral Brahmbhatt
Senior Scientific Assistant	Senior Scientific Assistant	Senior Scientific Assistant

Mr. Dilipkumar Raval

Senior Scientific Assistant

Mr. Vivek Sharma Ms. Nikita Trivedi
Senior Scientific Assistant Senior Scientific Assistant

Senior Scientific Assistant

Mr. Mohansing Vasava

Dr. Bhaskarrav Makwana

Senior Scientific Assistant



This page intentionally left blank



Table of Contents

Chapter 1	1
1.1 Introduction	2
1.2 Locations for environmental monitoring	3
1.3 Details of environmental monitoring components	8
1.4 Sample collection, preservation, storage and transportation to GEMI's Laboratory	9
Chapter 2	12
2.0 Monitoring of various environmental components	13
2.1 Ambient air monitoring	13
2.1.1 Statistical Data and Graphs	13
2.1.2 Observations:	17
2.1.3 Preventive measures:	17
2.2 Drinking water monitoring	18
2.2.1 Statistical Data and Graphs	18
2.2.2 Observations:	22
2.2.3 Preventive measures:	23
2.3 Noise level monitoring	23
2.3.1 Statistical Data and Graphs	23
2.3.2 Observations:	24
2.4 Soil quality monitoring	24
2.4.1 Statistical Data and Graphs	24
2.4.2 Observations:	28
2.5 Marine Water, Sediment & Ecology Monitoring	28
2.5.1 Marine water quality monitoring	28
2.5.1.1 Statistical Data and Graphs	28
2.5.1.2 Observations:	35
2.5.2 Marine sediment quality monitoring	36
2.5.2.1 Statistical Data and Graphs	36
2.5.2.2 Observations:	38
2.5.3 Marine Ecological Monitoring	41
2.5.3.1 Statistical Data and Graphs	41
2.5.3.2 Observations:	43
2.6 Meteorological monitoring	45
2.6.1 Observation:	46
Temperature	46
Relative Humidity	46
Rainfall	46
Wind Speed	46
Solar Radiation	



Final Quarterly EMP report (13th Jan 2024 to 12th Apr 2024)

Wind rose diagram	47
2.7 DG stack emissions monitoring	51
2.7.1 Statistical Data and Graphs	51
2.7.2 Observations:	52
References	53



This page is intentionally left blank



List of Graphs

Graph 1: PM ₁₀ Concentration	14
Graph 2: PM _{2.5} Concentration	15
Graph 3: SO ₂ Concentration	15
Graph 4: NOx Concentration	16
Graph 5: CO Concentration	16
Graph 6: Average results of Physico-Chemical parameters of Drinking water	22
Graph 7: Average results of Physico-Chemical and Biological parameters of Drinking	g water
	22
Graph 8: Average Leq results of day time Ambient noise	24
Graph 9: Average Leq results of night time Ambient noise	24
Graph 10: Average results of soil quality parameters	27
Graph 11: Average results of metals of soil	27
Graph 12: Average results of Physico-Chemical parameters of Marine water	34
Graph 13: Average results of Physico-Chemical and biological parameters of Marine	water 35
Graph 14: Average results of metals of Marine water	35
Graph 15: Average results of Marine sediment parameters	38
Graph 16: Average results of metals of Marine sediment	38
Graph 17: Sampling locations with their respective phytoplankton genera counts	43
Graph 18: Representation of benthic macrofauna obtained during monitoring period.	43
Graph 19: Average results of DG Stack emission parameters	52



This page is intentionally left blank



List of Tables

Table 1: Monitoring locations of environmental components	3		
Table 2: Detailed plan of environmental monitoring components	8		
Table 3: Details of sample collection and analysis method for each environmental component	10		
Table 4: Summarized results of Ambient air quality monitoring	13		
Table 5: Summarized results of Drinking water quality monitoring	18		
Table 6: Summarized results of Noise Monitoring	23		
Table 7: Ambient air quality norms in respect of Noise	23		
Table 8: Summarized results of Soil quality monitoring	25		
Table 9: Soil quality standard	26		
Table 10: Summarized results of Marine water quality monitoring	28		
Table 11: Water quality criteria: primary water quality criteria for designated best uses for coastal	waters		
[as per "the Environment (Protection) act, 1986]	32		
Table 12: Summarized results of Marine Sediment Monitoring	36		
Fable 6: Summarized results of Noise Monitoring			
	40		
Table 14: Result of Marine ecological monitoring for Biomass, NPP, GPP, Pheophytin, Chlorog	ohyll-a,		
Seechi depth & Particulate Oxidizable Organic Carbon	41		
Table 15: Result of Meteorological monitoring	45		
Table 16: Summarized results of DG Stack emissions	51		
List of Figures			
Figure 1. Sampling locations at Ghogha	4		
Figure 2. Sampling locations at Hazira	5		
Figure 3. Sampling locations at Dahej	6		
Figure 4. Photographs of Environmental Monitoring	7		
Figure 5: Windrose plot at Dahej	48		
Figure 5. Windrose plot at Hazira	49		
Figure 6. Windrose plot at Ghogha	50		



This page is intentionally left blank



Chapter 1 Introduction



Deendayal Port Authority (DPA), Erstwhile Kandla Port Trust, is one of the 13th major ports in India and is located on the west coast of India, in the Gulf of Kutch at 23001'N and 70013'E in the state of Gujarat in India. DPA has commissioned Ro-Ro/Ro-Pax facilities at Hazira and Ghogha, Gujarat. This waterfront is proposed to be operated for berthing and unberthing of ROPAX Ferry vessels to load and unload vehicles along with embarking and disembarking passengers. The travel time between Ghogha and Hazira has reduced from 10 hours to 3.15 hours with the start of the Ro-Ro ferry service. The road distance from Surat to Bhavnagar is 360 kilometers. Whereas the sea route distance is 67 nautical miles only. So, Ro-Ro/Ro-Pax vessels are deployed to reduce travel time and thereby, reduce carbon emission. In compliance with the conditions stipulated in statutory clearances viz. Environmental/CRZ Clearance from the Ministry of Environment & Forest, CRZ recommendations from the state Forest & Environment Department, and NOC from the State Pollution Control Board (SPCB), and to ensure implementation of the project in an environmentally sustainable manner in & around the project site, it is important to monitor the environmental status and prepare an effective environmental monitoring and management plan of the port facility for sustainable development.

In this regard, DPA proposes to formulate a detailed and effective environmental monitoring and management plan by conducting monthly environmental monitoring for its onward submission to the statutory bodies.

Under the said study, monitoring of the various aspects of the environment such as Ambient air, DG stack emissions, meteorology, drinking water, soil, noise, and marine environment- Water, Sediment & Ecological characteristics for the locations at Hazira, Dahej & Ghogha for 3 years needs to be carried out.

This report includes the Quarterly Environmental Monitoring Plan (EMP) report for monitoring carried out for the month of "13th January 2024 to 12th April 2024".



1.2 Locations for environmental monitoring

Finalized monitoring locations as per the preliminary site visit report are shown in **Table**1 and **Figure 1 to 3**. The monitoring photographs are shown in **Figure 4**.

Table 1: Monitoring locations of environmental components

Locations	Sample code	Latitude	Longitude		
Ambient Air Monitoring					
Admin building at Ghogha Ro-Ro ferry	AM-G	21.673483	72.284497		
Terminal building at Hazira Ro-Ro ferry	AM-H1	21.077458	72.657147		
Staff accommodation at Ro-Ro ferry at Hazira	AM-H2	21.0775717	72.6551994		
Admin building at Ro-Ro ferry service at Dahej	AM-D	21.666383	72.561889		
Drinking Water Mo		211000000	, 2.0 01005		
Canteen building at Ghogha Ro-Ro ferry	DW-G	21.677216	72.283060		
Terminal building at Hazira Ro-Ro ferry	DW-H	21.077399	72.657189		
Canteen building at Ro-Ro ferry service at Dahej	DW-D	21.66435	72.563489		
Noise Monitor	ing				
Admin building at Ghogha Ro-Ro ferry	N-G	21.673481	72.284464		
Terminal building at Hazira Ro-Ro ferry	N-H1	21.077458	72.657147		
Staff accommodation at Ro-Ro ferry at Hazira	N-H2	21.0775717	72.6551994		
Admin building at Ro-Ro Ferry Service at Dahej	N-D	21.666383	72.5561889		
Meteorological Data N	Monitoring				
Admin building at Ghogha Ro-Ro ferry	M-G	21.673483	72.284497		
Terminal building at Hazira Ro-Ro ferry	M-H	21.077458	72.657147		
Admin building at Ro-Ro Ferry Service at Dahej	M-D	21.666383	72.561889		
Soil Quality Mon	itoring				
Terminal building at Ghogha Ro-Ro ferry	S-G	21.67496	72.284388		
Near Terminal building at Hazira Ro-Ro ferry	S-H	21.076353	72.657294		
Ro-Ro ferry service at Dahej	S-D	21.666037	72.563489		
Marine Water, Ecology and Se	ediment Mo	nitoring			
Near Ro-Ro ferry terminal at Ghogha	MA-G1	21.67954	72.29433		
Away from Ro-Ro ferry terminal at Ghogha and	MA-G2	21.665054	72.336313		
along the ferry route from Ghogha to Hazira					
Near Ro-Ro ferry terminal at Hazira	MA-H1	21.07577	72.65839		
Away from Ro-Ro ferry terminal at Hazira and	MA-H2	21.072114	72.657794		
along the ferry route from Hazira to Ghogha					
Near Ro-Ro ferry Service at Dahej	MA-D	21.65988	72.56365		
	DG stack emission Monitoring				
Near substation-3 at Ghogha Ro-Ro ferry	DG-G	21.6739638	72.2835000		
Generator Room near Terminal building at Hazira	DG-H	21.0775041	72.6563279		
Ro-Ro ferry					
Near Substation-1 at Dahej Ro-Ro ferry	DG-D	21.665902	72.562056		





Figure 1. Sampling locations at Ghogha





Figure 2. Sampling locations at Hazira





Figure 3. Sampling locations at Dahej



















Figure 4. Photographs of Environmental Monitoring



1.3 Details of environmental monitoring components

Detailed plan of environmental monitoring components and its parameters is shown in **Table 2.**

Table 2: Detailed plan of environmental monitoring components

Sr. No	Parameter	No. of locations	Frequency	Parameters
1.	Ambient air quality monitoring	1 at Ghogha, 2 at Hazira	Twice a week	PM ₁₀ , PM _{2.5} , Sulphur dioxide, Oxides of nitrogen, Carbon monoxide
	(4 locations)	and 1 at Dahej	Once in a month	Hydrocarbons, Benzene, Volatile Organic Compound, Non-methane VOC
2.	Drinking water monitoring (3 locations)	1 at Ghogha, 1 at Hazira and 1 at Dahej	Once in a month	Odor, Color, pH, Turbidity, TDS, TSS, Conductivity, Chloride, Calcium as Ca, Magnesium, Total hardness, Sulphate as SO ₄ , Nitrate as NO ₃ , Nitrite as NO ₂ , Fluoride as F, Sodium as Na, Iron as Fe, Potassium as K, Manganese, Total chromium, Hexavalent chromium, Copper, Cadmium, Arsenic, Lead, Zinc, Mercury, Salinity, Free residual chlorine, Microbiological (MPN)
3.	Noise level monitoring (4 locations)	1 at Ghogha, 2 at Hazira and 1 at Dahej	24 hrs period once in a month	Leq (Day) & (Night)
4.	Soil quality monitoring (3 locations)	1 at Ghogha, 1 at Hazira and 1 at Dahej	Once in a month	Total Organic Matter, Organic Carbon, Inorganic Phosphate, Texture, pH, Conductivity, Particle size distribution & Silt content, SAR, Water holding capacity, Aluminum, Chromium, Nickel, Copper, Zinc, Cadmium, Lead, Arsenic, Mercury
5.	Meteorological data monitoring (3 locations)	1 at Ghogha, 1 at Hazira and 1 at Dahej	Daily	Wind speed, Wind direction, Rainfall, Humidity, Temperature, Solar radiation
6.	DG emissions (3 locations)	1 at Ghogha, 1 at Hazira and 1 at Dahej	Once in a month	Particulate Matter, Sulphur dioxide, Oxides of nitrogen, Carbon monoxide, Carbon dioxide
7.	Marine water quality (5 locations)	2 at Ghogha, 2 at Hazira	Once in a month	Odor, Color, pH, Turbidity, TDS, TSS, Conductivity, DO, Particulate organic carbon, COD, BOD, Silica,



Sr. No	Parameter	No. of locations	Frequency	Parameters
		and 1 at Dahej		Phosphate, Sulphate as SO ₄ , Nitrate as NO ₃ , Nitrite as NO ₂ , Sodium as Na, Potassium as K, Manganese, Iron as Fe, Total chromium, Hexavalent chromium, Copper, Cadmium, Arsenic, Lead, Zinc, Mercury, Oil & grease,
				Floating material (scum), Microbiological (MPN), Density
8.	Marine water quality for biological monitoring (5 locations)	2 at Ghogha, 2 at Hazira and 1 at Dahej	Once in a month	Chlorophyll-a, Pheophytin, Productivity (Net & Gross), Biomass; Relative abundance, species composition and diversity of phytoplankton; Relative abundance, species composition and diversity of zooplankton; Relative abundance, species composition and diversity of benthic invertebrates; (Meio, Micro and Macro benthos), Particulate oxidizable organic carbon, Secchi disk depth
9.	Sediments quality (5 locations)	2 at Ghogha, 2 at Hazira and 1 at Dahej	Once in a month	Texture, Organic Matter, Inorganic Phosphate, Silica, Phosphate, Sulphate, Nitrite, Nitrate, Calcium, Magnesium, Sodium, Potassium, Aluminum, Copper, Chromium, Nickel, Zinc, Cadmium, Lead, Arsenic, Mercury


1.4 Sample collection, preservation, storage and transportation to GEMI's Laboratory

Sampling of water and wastewater samples was carried out by 'GEMI's sampling protocol for water and wastewater' approved by the Government of Gujarat vide letter no. ENV-102013-299-E dated 24-04-2014 under the provision of the Water (Preservation and control of pollution) Act 1974. Soil sampling was conducted as per the 'Soil sampling manual by GEMI' published in November 2016. Whereas, for the other components of the environment such as ambient air, noise, & marine ecology, the guidelines/manuals brought out by CPCB were followed. The sampling was carried out by GEMI's trained manpower. The details of the environmental samples and their respective standards are summarized in **Table 3.**



Table 3: Details of sample collection and analysis method for each environmental component

Sr. No.		Type of sample	Manual/ Standards and Protocols	Instruments
1.	Ambient air	IS 5182 (Part 23): 2006	PM_{10}	Respirable Dust Sampler (RDS) conforming to IS:5182 (Part-23): 2006
		IS:5182 (Part:24):2019	PM _{2.5}	Fine Particulate Sampler (FPS) conforming to IS:5182 (Part-24): 2019
		IS:5182 (Part-2):2001	SO_x	Gaseous attachment conforming to IS:5182 (Part-2):2001
		IS:5182 (Part-6):2006	NO_x	Gaseous attachment conforming to IS:5182 (Part-6): 2006
		GEMI/SOP/AAQM/11; Issue no 01, Issue date 17.01.2019: 2019	Carbon monoxide	Sensor based Instrument
		IS 5182 (Part 11): 2006	Benzene	Low flow air sampler conforming to IS:5182 (Part-11): 2006
		IS 5182 (Part 11): 2006	VOC	Low flow air sampler conforming to IS:5182 (Part-11): 2006
		IS: 5182 (Part 17): 1979	Hydrocarbon	Aluminized plastic bags with on/off valve conforming to IS 5182 (Part 17):1979
		IS: 5182 (Part 17): 1979	Non-methane VOC	Aluminized plastic bags with on/off valve conforming to IS 5182 (Part 17):1979
2.		DG emissions	IS: 11255 and USEPA Method	Sensor based flue gas analyzer (Make: TESTO, Model 350) Stack Monitoring Kit
3.		Meteorological data	Installation of automatic weather stations to get periodic meteorological data as per the requirement	Automatic Weather Stations (AWS)





Sr. No.	Type of sample	Manual/ Standards and Protocols	Instruments
4.	Water (Drinking water, Surface water)	Sampling protocol for water & wastewater approved by the Government of Gujarat vide letter no. ENV-102013-299-E dated 24-04-2014 under the provision of Water (Preservation and Control of Pollution) Act 1974.	For drinking water- Titration apparatus, pH meter and conductivity meter Sample collection method: Grab sampling For marine water - Niskin sampler
5.	Soil and Marine sediments	Soil sampling manual by GEMI published in November 2016	For sediment sample collection –Van veen grab sampler
6.	Noise	IS 9989:2014	Noise meter
7.	Marine ecology	Technical guidance book – An introduction to aquatic biomonitoring using macroinvertebrates,2021 by CPCB	The sampling of the benthic invertebrates will be carried out with the help of D-frame nets, whereas the sampling of zooplankton and phytoplankton shall be carried out with the help of plankton nets (60 micron and 20 micron).



Chapter 2 Results and observations of Environmental monitoring at Dahej, Hazira & Ghogha



2.0 Monitoring of various environmental components

Monitoring of various environment components was carried out at the locations listed in **Table 1** above. Details of each monitoring components have been mentioned below.

2.1 Ambient air monitoring

Air monitoring was carried out at four locations, 1 at Dahej, 2 at Hazira, and 1 at Ghogha. The monitoring cycle was twice a week for 24-hour sampling. Sampling for Benzene, Hydrocarbon, Non-methane VOC, and VOC has been executed for once in a month.

2.1.1 Statistical Data and Graphs


The station-wise summarized results of ambient air quality monitoring are given in **Table 4**, and Graphs are represented as **Graph 1 to 5**.

Table 4: Summarized results of Ambient air quality monitoring

		NAAQ		Location code			
Sr. No.	Parameters	Standards, 2009 (Industrial, Residential, Rural & Other Areas) for 24 hours	Statistical data	AM-D	AM-H1	АМ-Н2	AM-G
	DM4a		Min	52.01	65.68	67.92	31.90
1	$PM_{10} \\ (\mu g/m^3)$	100	Max	341.21	297.62	292.86	185.67
			Aν	Avg.	158.30	157.72	156.94
	PM _{2.5} (μg/m ³)		Min	15.34	23.10	22.63	20.44
2		60	Max	80.01	98.42	61.45	72.16
	(μg/III)		Avg.	50.32	58.57	58.09	45.59
	SO ₂		Min	<5	<5	<5	<5
3	$(\mu g/m^3)$	80	Max	141.85	64.52	61.45	43.20
	(μg/III [*])		Avg.	39.94	26.40	26.18	6.93
	NOx		Min	<6	7.00	6.84	<6
4	$(\mu g/m^3)$	80	Max	40.18	44.42	44.86	20.28
	(μg/III)	ig/iii ⁻)	Avg.	19.40	22.66	22.40	6.93
	СО		Min	960.00	470.00	470.00	450.00
5	$(\mu g/m^3)$	2000	Max	1180.00	520.00	530.00	510.00
	(μg/III)		Avg.	1077.92	505.42	502.08	478.33




		NAAQ Standards,	Location Code					
Sr. No.	Parameters	2009 (Industrial, Residential, Rural & Other Areas) for 24 hours	AM-D	AM-H1	AM-H2	AM-G		
1	Benzene (µg/m³)	5	<4.0	<4.0	<4.0	<4.0		
2	Hydrocarbons (µg/m³)	-	<4.0	<4.0	<4.0	<4.0		
3	Non-methane VOC (μg/m³)	-	<4.0	<4.0	<4.0	<4.0		
4	VOC (µg/m³)	-	<4.0	<4.0	<4.0	<4.0		




Graph 1: PM₁₀ Concentration






Graph 2: PM_{2.5} Concentration




Graph 3: SO₂ Concentration





Graph 4: NOx Concentration



Graph 5: CO Concentration



2.1.2 Observations:

The concentration of ambient air quality monitoring results was compared with the National Ambient Air Quality Standards (NAAQS), 2009 specified by the Central Pollution Control Board (CPCB).

• Dahej:

- The average concentration of PM_{2.5}, SO₂, NOx, CO, Benzene, Hydrocarbons, Nonmethane VOCs, and VOCs were found within the standard limit.
- PM₁₀ concentration was found in the range of $52.01 341.21 \,\mu\text{g/m}^3$ with an average concentration of $158.30 \,\mu\text{g/m}^3$ against the standard concentration of $100 \,\mu\text{g/m}^3$.

• Hazira:

- The average concentration of PM_{2.5}, SO₂, NO_x, CO, Benzene, Hydrocarbons, Nonmethane VOCs, and VOCs were within the standard limit.
- PM₁₀ was found in the range of $65.68 297.62 \,\mu\text{g/m}^3$ with an average concentration of $157.72 \,\mu\text{g/m}^3$ at AM-H1 location and $156.94 \,\mu\text{g/m}^3$ at AM-H2 location against the standard concentration of $100 \,\mu\text{g/m}^3$.

• Ghogha:

- The average concentration of PM_{2.5}, SO₂, NO_x, CO, Benzene, Hydrocarbons, Nonmethane VOCs, and VOCs were observed within the standard limit.
- PM₁₀ was found in the range of $31.90 185.67 \,\mu\text{g/m}^3$ with an average concentration of $104.37 \,\mu\text{g/m}^3$ against the standard concentration of $100 \,\mu\text{g/m}^3$.
- The high concentration of PM₁₀ could be attributed to vehicular movement in the port area and surrounding road dust, causing the dispersion of emitted particulate matter in the ambient air.

2.1.3 Preventive measures:

- Water sprinkling on roads should be practiced to reduce dust suspension and its emission during vehicular movement.
- The primary port-related particulate matter sources are from the exhaust of engines of the power landside equipment, Seagoing marine vehicles, Ro-pax facilities operated at Hazira and Ghogha for loading and unloading vehicles, and other industrial and commercial sources that burn fuel. This can be controlled by regular maintenance of the engines of the power landside equipment, Seagoing marine vehicles, and Ro-pax facilities. Further, verification of the Pollution Under Control (PUC) Certificate of vehicles loading into the Ro-pax ferry and within the port area can also help in reducing



emissions.

• Practice should be initiated by using masks as a preventative measure, to avoid the health risk associated with the inhalation of dust particles to the person working in the port area.

2.2 Drinking water monitoring

Drinking water sampling was carried out once a month at three locations i.e., 1 at Dahej, 1 at Hazira and 1 at Ghogha.

2.2.1 Statistical Data and Graphs

The station-wise summarized results are compared with the stipulated standards as per IS 10500:2012 and mentioned in **Table 5** and the **Graphs 6 and 7** show the graphical representation of the data with mean values of the parameters.

Table 5: Summarized results of Drinking water quality monitoring

Sr.	Parameters	Unit	Acceptable limit	Permissible limit	Location Code & Sampling Date													
No.	rarameters	Unit	Standards IS 10500:2012			DW-D	DW-H	DW-G										
				No	Min	7.99	7.27	7.78										
1	1 pH	-	6.5-8.5	Relaxation	Max	8.31	7.63	7.96										
				Kelaxation	Avg.	8.11	7.51	7.90										
					Min	237.00	163.00	292.00										
2	EC	μS/cm	-	-	Max	250.00	181.20	309.00										
					Avg.	244.67	172.27	301.33										
					Min	120.00	82.00	154.00										
3	TDS	mg/L	500	2000	Max	128.00	96.00	156.00										
					Avg.	124.67	88.67	155.33										
		mg/L	250	1000	Min	17.49	25.99	15.00										
4	Chloride				Max	20.99	29.99	18.99										
					Avg.	19.49	28.49	16.99										
	7 5. 4. 1	Total mg/L 200			Min	82.00	11.00	90.00										
5	Total Hardness		L 200	600	Max	96.00	12.00	120.00										
	naruness				Avg.	88.00	11.67	109.33										
	G 1 :				Min	20.00	1.20	20.00										
6	Calcium as Ca	mg/L	75	200	Max	22.40	3.20	28.80										
	as Ca				Avg.	21.07	2.00	25.60										
	Magnesium				Min	6.24	0.96	9.60										
7	as Mg	mg/L	30	100	Max	10.56	1.92	12.00										
	as wig				Avg.	8.48	1.60	10.88										
					Min	BQL	BQL	BQL										
					TVALLE	(QL=0.5)	(QL=0.5)	(QL=0.5)										
8	Turbidity	NTU	TU 1	5	Max	2.48	BQL (QL=0.5)	0.66										
															Avg.	0.83	BQL (QL=0.5)	0.22



Final Quarterly EMP report (13th Jan 2024 to 12th Apr 2024)

Sr.	r. D		Acceptable Permissible limit		Location Code & Sampling Date										
No.	Parameters	Unit		ards IS 0:2012		DW-D	DW-H	DW-G							
					Min	BQL (QL=0.3)	BQL (QL=0.3)	BQL (QL=0.3)							
9	Fluoride as F	mg/L	1	1.5	Max	BQL (QL=0.3)	BQL (QL=0.3)	0.36							
					Avg.	BQL (QL=0.3)	BQL (QL=0.3)	0.23							
					Min	BQL (QL=10)	BQL (QL=10)	BQL (QL=10)							
10	SO ₄	mg/L	200	400	Max	BQL (QL=10)	BQL (QL=10)	BQL (QL=10)							
					Avg.	BQL (QL=10)	BQL (QL=10)	BQL (QL=10)							
					Min	12.68	25.12	14.60							
11	Na	mg/L	-	-	Max	16.57	28.41	17.49							
					Avg.	14.43	27.03	16.03							
					Min	BQL	BQL	BQL							
			-	-		(QL=5)	(QL=5)	(QL=5)							
12	K	mg/L			Max	BQL	BQL	BQL							
					Avg.	(QL=5) BQL	(QL=5) BQL	(QL=5) BQL							
						(QL=5)	(QL=5)	(QL=5)							
							BQL								
		mg/L	mg/L	/T	/1	/T	/1			No	Min	3.16	(QL=1)	5.79	
13	NO ₃			45	relaxation	Max	4.72	9.18	8.91						
					Avg.	4.04	5.39	7.07							
												Min	BQL	BQL	BQL
					IVIIII	(QL=0.1)	(QL=0.1)	(QL=0.1)							
14	NO ₂	mg/L	_	_	Max	BQL	BQL	BQL							
17	1102	mg/L	-	-	IVIAX	(QL=0.1)	(QL=0.1)	(QL=0.1)							
					Avg.	BQL	BQL	BQL							
						(QL=0.1)	(QL=0.1)	(QL=0.1)							
					Min	1.00	1.00	1.00							
15	Odour	TON	Agreeable	Agreeable	Max	1.00	1.00	1.00							
-					Avg.	1.00	1.00	1.00							
					Min	BQL (OI =0.0005)	BQL	BQL							
				No		(QL=0.0005) BQL	(QL=0.0005) BQL	(QL=0.0005) BQL							
16	Hg	mg/L	0.001	relaxation	Max	(QL=0.0005)	(QL=0.0005)	QL=0.0005							
				i Cianativii		BQL	BQL	BQL							
					Avg.	(QL=0.0005)	(QL=0.0005)	(QL=0.0005)							
					Min	0.11	0.08	0.14							
17	Salinity	mg/L	_	_	Max	0.12	0.09	0.15							
		9			Avg.	0.12	0.08	0.15							
18		mg/L	0.2	1	Min	BQL	BQL	BQL							



			_	Permissible		Location Cod	le & Sampling				
Sr.	Parameters	Unit	limit limit			Location Code & Sampling Date					
No.				ards IS 0:2012		DW-D	DW-H	DW-G			
						(QL=2)	(QL=2)	(QL=2)			
	Free				Max	BQL	BQL	BQL			
	Residual				IVIAX	(QL=2)	(QL=2)	(QL=2)			
	Cl				Avg.	BQL	BQL	BQL			
					Avg.	(QL=2)	(QL=2)	(QL=2)			
					Min	BQL	BQL	BQL			
					141111	(QL=0.002)	(QL=0.002)	(QL=0.002)			
19	Pb	mg/L	0.01	No	Max	BQL	BQL	BQL			
17	10	mg/L	0.01	relaxation	Max	(QL=0.002)	(QL=0.002)	(QL=0.002)			
					Avg.	BQL	BQL	BQL			
					1115.	(QL=0.002)	(QL=0.002)	(QL=0.002)			
					Min	BQL	BQL	BQL			
						(QL=0.002)	(QL=0.002)	(QL=0.002)			
20	Cd	mg/L	0.003	No	Max	BQL	BQL	BQL			
	0.0		01000	relaxation		(QL=0.002)	(QL=0.002)	(QL=0.002)			
		Avg.	Avg.	BQL	BQL	BQL					
						(QL=0.002)	(QL=0.002)	(QL=0.002)			
			0.3	No relaxation	Min	BQL	BQL	BQL			
						(QL=0.1)	(QL=0.1)	(QL=0.1)			
21	Fe	mg/L			Max	0.119	BQL	BQL			
							(QL=0.1)	(QL=0.1)			
					Avg.	0.04	BQL	BQL			
						DOI	(QL=0.1)	(QL=0.1)			
		mg/L					Min	BQL (OI =0.005)	BQL	BQL (OI =0.005)	
				No		(QL=0.005)	(QL=0.005)	(QL=0.005)			
22	Total Cr		mg/L	0.05	relaxation	Max	BQL (QL=0.005)	BQL (QL=0.005)	0.018		
				relaxation		BQL	BQL				
					Avg.	(QL=0.005)	(QL=0.005)	0.006			
						BQL	BQL	BQL			
					Min	(QL=0.01)	(QL=0.01)	(QL=0.01)			
	Hexavalent					BQL	BQL	BQL			
23	Cr	mg/L	-	-	Max	(QL=0.01)	(QL=0.01)	(QL=0.01)			
	01					BQL	BQL	BQL			
					Avg.	(QL=0.01)	(QL=0.01)	(QL=0.01)			
					3.54	BQL	BQL	BQL			
					Min	(QL=0.005)	QL=0.005)	(QL=0.005)			
24	Cu	mg/L	0.05	1.5	Max	0.007	BQL (QL=0.005)	0.006			
					Avg.	0.004	BQL QL=0.005)	0.002			
					Min	BQL	BQL	BQL			
25	7		_	15		(QL=0.5)	(QL=0.5)	(QL=0.5)			
25	Zn	mg/L	5	15		BQL	BQL	BQL			
					Max	(QL=0.5)	(QL=0.5)	(QL=0.5)			




Final Quarterly EMP report (13th Jan 2024 to 12th Apr 2024)


Sr.	Parameters	Unit	limit	Permissible limit		Location Code & Sampling Da				
No.	1 at affecters	Omt		ards IS 0:2012		DW-D	DW-H	DW-G		
					Avg.	BQL (QL=0.5)	BQL (QL=0.5)	BQL (QL=0.5)		
					Min	BQL (QL=0.005)	BQL QL=0.005)	BQL (QL=0.005)		
26	As	mg/L	0.01	0.05	Max	BQL (QL=0.005)	BQL (QL=0.005)	BQL (QL=0.005)		
					Avg.	BQL (QL=0.005)	BQL (QL=0.005)	BQL (QL=0.005)		
					Min	1.00	1.00	1.00		
27	Colour	Hazen	5	15	Max	5.00	5.00	5.00		
					Avg.	2.33	2.33	3.67		
		mg/L	-	-	Min	BQL	BQL	BQL		
						(QL=2)	(QL=2)	(QL=2)		
28	TSS				Max	BQL	BQL	BQL		
					171421	(QL=2)	(QL=2)	(QL=2)		
					Avg.	BQL (QL=2)	BQL (QL=2)	BQL (QL=2)		
	Microbiologi- cal (MPN)	CFU/	Absent/100	ml Shall not	Min	1360	BQL (QL =1)	40		
29	Total	100ml	be de	tected	Max	4100	30.00	205		
	Coliform (TC)	1001111			Avg.	2548.33	10.00	98.33		
					Min	BQL	BQL	BQL		
					141111	(QL=0.04)	(QL=0.04)	(QL=0.04)		
30	Mn	mg/L	0.1	0.3	Max	BQL	BQL	BQL		
	1722	mg/L			IVIAX	(QL=0.04)	(QL=0.04)	(QL=0.04)		
					Avg.	BQL	BQL	BQL		
					Avg.	(QL=0.04)	(QL=0.04)	(QL=0.04)		

BQL- Below Quantification Limit





Graph 6: Average results of Physico-Chemical parameters of Drinking water



Graph 7: Average results of Physico-Chemical and Biological parameters of Drinking water

2.2.2 Observations:

The samples were collected from the respective RO system at the monitored locations. The following were observed from the results of drinking water samples.

- At all three locations, Dahej, Hazira, and Ghogha, the concentration of all the physicochemical, minerals and heavy metals was found to be within the standard acceptable limit.
- The total coliform content was detected in the samples, 1360-4100 CFU/100 ml at Dahej, BQL-30 CFU/100 ml at Hazira and 40-205 CFU/100 ml at Ghogha.



2.2.3 Preventive measures:

• The presence of Total Coliforms in samples of all the three locations indicates the microbiological contamination. Therefore, regular cleaning and maintenance of the RO system is recommended. The disinfection system should be replaced to prevent the contamination of water from coliform.

2.3 Noise level monitoring

Noise monitoring was conducted at all four locations, i.e., 1 at Dahej, 2 at Hazira and 1 at Ghogha. The Noise has been monitored once a month at all the locations for 24 hours.

2.3.1 Statistical Data and Graphs

The station-wise summarized results of the Noise monitoring are mentioned in **Table** 6 and **Graph 8 to 9** below and are compared with the prescribed limit of noise level as per the Noise 2000 Standards of Environment Protection Rules and shown in **Table 7**.


Table 6: Summarized results of Noise Monitoring

Quarterly Result for Noise monitoring		Location Code N-D			Location Code N-H1		Location Code N-H2			Location Code N-G			
		Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.
Day Time	Leq.	46.8	50.3	48.0	57.7	65.6	62.9	53.6	60.7	60.7	43.4	44.0	43.7
Night Time	Leq.	49.1	50.1	49.4	42.1	58.8	51.3	46.1	55.9	55.9	38.3	40.6	39.4


Table 7: Ambient air quality norms in respect of Noise

Area	Т	Noise dB(A) Leq				
Code	Type of area	Day time	Night time			
A	Industrial area	75	70			
В	Commercial area	65	55			
С	Residential area	55	45			
D	Silent zone	50	40			





Graph 8: Average Leq results of day time Ambient noise



Graph 9: Average Leq results of night time Ambient noise

2.3.2 Observations:

Average Leq noise levels for Day and Night time at all locations were found below the respective maximum permissible limits defined for "Industrial area".

2.4 Soil quality monitoring

Soil quality monitoring was carried out at all three locations, 1 at Dahej, 1 at Hazira and 1 at Ghogha once a month.

2.4.1 Statistical Data and Graphs

The station-wise summarized results of the soil quality monitoring are shown in 24 | P a g e



Table 8 and **Graphs 10 & 11**. To classify the soil quality, the soil quality standards-"Soil fertility class by Soil Health card 2015" & "Standard limit EU 2002" have been adopted and shown in **Table 9**.

Table 8: Summarized results of Soil quality monitoring

Sr.	Parameters		Unit		Sampling	g Locations co	ons code		
No.			Omt		S-D	S-H	S-G		
				Min	0.21	0.18	0.57		
1	Organic Car	rbon	%	Max	0.56	0.25	0.72		
				Avg.	0.36	0.20	0.65		
	Total Organic Matter			Min	0.36	0.31	0.98		
2			%	Max	0.97	0.43	1.24		
				Avg.	0.62	0.35	1.12		
	Inorgani	c		Min	0.22	0.36	0.16		
3	Phosphat	te	kg/Ha	Max	0.55	0.66	1.15		
	(Av. Phospho	rous)		Avg.	0.42	0.55	0.77		
				Min	14.64	26.42	28.64		
4		Sand	%	Max	39.00	32.33	49.01		
	D. 41.1			Avg.	23.78	29.85	36.00		
	Particle size			Min	35.56	33.27	29.56		
5	5 distribution & silt content	Silt	%	Max	43.99	41.23	41.21		
				Avg.	40.52	37.26	36.26		
				Min	25.44	26.45	21.44		
6		Clay	%	Max	43.36	40.01	33.36		
				Avg.	35.71	32.79	27.74		
				Min	8.39	8.62	8.23		
7	pН	pН		Max	8.69	8.75	8.54		
				Avg.	8.54	8.70	8.40		
				Min	0.37	2.51	0.27		
8	Conductiv	ity	dSm/cm	Max	0.39	3.40	0.30		
				Avg.	0.38	2.87	0.28		
				Min	0.28	3.38	0.07		
9	SAR		meq/L	Max	0.44	5.75	0.76		
				Avg.	0.37	4.54	0.31		
	Water Hold	lina		Min	61.99	60	59.99		
10	Capacity	O	%	Max	64.00	67.99	64.00		
	Сараспу	y		Avg.	63.33	64.66	62.66		
				Min	877.26	1286.373	654.10		
11	Al		mg/kg	Max	15883.77	13666.43	10536.88		
				Avg.	6028.24	5559.05	4064.32		
	Cr			Min	84.27	84.16	63.15		
12			mg/kg	Max	89.87	91.62	78.78		
				Avg.	87.22	87.00	73.28		
				Min	41.06	38.287	34.10		
13	Ni		mg/kg	Max	45.03	42.96	41.77		
				Avg.	42.71	39.98	37.72		
14	Cu		mg/kg	Min	77.51	59.88	49.47		




Sr.	Parameters	Unit		Sampling	g Locations co	de
No.	Farameters	Unit		S-D	S-H	S-G
			Max	79.62	77.37	67.27
			Avg.	78.72	65.84	57.48
			Min	55.24	52.817	60.61
15	Zn	mg/kg	Max	57.86	65.18	70.65
			Avg.	56.90	57.70	64.67
			Min	BQL	BQL	BQL
				(QL=1)	(QL=1)	(QL=1)
16	Cd	mg/kg	Max	BQL	BQL	BQL
10	Cu	mg/kg		(QL=1)	(QL=1)	(QL=1)
			Avg.	BQL	BQL	BQL
				(QL=1)	(QL=1)	(QL=1)
			Min	3.30	2.65	6.04
17	Pb	mg/kg	Max	4.12	3.48	7.84
			Avg.	3.82	3.12	6.69
			Min	3.43	3.08	6.20
18	As	mg/kg	Max	3.95	3.44	8.63
			Avg.	3.66	3.25	7.12
			Min	BQL	BQL	BQL
				(QL=0.005)	(QL=0.005)	(QL=0.005)
19	Hg	mg/kg	Max	BQL	BQL	BQL
17	115	mg/ng		(QL=0.005)	(QL=0.005)	(QL=0.005)
			Avg.	BQL	BQL	BQL
			1.01	(QL=0.005)	(QL=0.005)	(QL=0.005)


BQL – Below Quantification Limit, QL- Quantification Limit **Table 9: Soil quality standard**

	Soil fertility class by Soil Health Card (SHC 2015)									
Sr. No.	Parameter	Range & Interpretation of Result								
1	рН	Acidic <6.5	Normal 6.5-8.2	Alkaline >8.2						
2	Electrical Conductivity (dSm/m)	Normal <1	Medium 1-3	Harmful >3						
3	Available Phosphorus (kg/Ha)	Low < 28	Medium 28-56	High >56						
4	Organic Carbon (%)	Low < 0.5	Medium 0.5-0.75	High > 0.75						
5	Zinc (mg/kg)	Low < 0.5	Medium 0.5-1.0	High >1.0						
6	Copper (mg/kg)	Low < 0.2	Medium 0.2-0.4	High > 0.4						
		Standard limit	EU 2002							
7	Chromium (mg/	kg)	15	50						
8	Lead (mg/kg	<u> </u>	300							
9	Cadmium (mg/k	g)	3.0							
10	Nickel (mg/kg)	75							





Graph 10: Average results of soil quality parameters



Graph 11: Average results of metals of soil



2.4.2 Observations:

- The pH value in Hazira, Dahej, and Ghogha was found alkaline in nature.
- The Electrical Conductivity was found in the 'Normal' class at Dahej and Ghogha; whereas, at Hazira, it was found in the range of 2.51 3.40 dSm/cm respectively, and the average concentrations 2.87 fall into the 'Medium' class.
- The texture of the Soil was found to vary during Jan-Feb'24, Feb-Mar'24 and Mar-Apr'24 months. It was found to be between Loam to Silty Clay Loam at Dahej, Loam to Clay at Hazira and Loam to Clay loam class at Ghogha.
- The Organic Carbon falls under the 'Low fertility' quality class at Dahej and Hazira.
 Whereas, it was found in the range of 0.57 0.72 % with an average concentration of 0.65% at Ghogha and falls into the 'Medium' quality class.
- The concentration of copper falls under the 'High quality' class at all locations.
- The concentration of available Phosphorus falls under the 'Low fertility' quality class at all three locations.
- The concentration of zinc was observed in the 'High' fertility class at all three locations.
- Metals such as Cr, Pb, Cd, and Ni were detected within permissible limits at all locations.
- The soil monitoring locations are coastal soils and exhibit saline soil characteristics.
 The overall soils were found to have low essential nutrients, hence less suitable for plant growth.

2.5 Marine Water, Sediment & Ecology Monitoring

Marine water, sediment, and ecology monitoring was carried out at five locations, 1 at Dahej, 2 at Hazira, and 2 at Ghogha once a month.

2.5.1 Marine water quality monitoring

The Marine water samples collected once a month from the locations of Dahej, Hazira & Ghogha.

2.5.1.1 Statistical Data and Graphs

The station-wise summarized results of the marine water monitoring are mentioned in **Table 10** and compared with the water quality criteria for the designated best use for the coastal water stipulated as per "The Environment (Protection) Act, 1986 as listed in **Table 11**, and **Graph 12 to 14** below.

Table 10: Summarized results of Marine water quality monitoring



Sr.	_				Loca	ation Code		
No	Parameters	Unit		MA-D	MA-H1	MA-H2	MA-G1	MA-G2
		G.	Min	44000.00	46200.00	46600.00	46700.00	46800.00
1	\mathbf{EC}	μS/c	Max	46300.00	48000.00	49000.00	47900.00	47400.00
		m	Avg.	45366.67	47200.00	47700.00	47266.67	47100.00
			Min	6.80	5.60	5.90	6.80	7.10
2	DO	mg/L	Max	7.60	7.10	6.20	7.30	7.30
			Avg.	7.27	6.10	6.03	7.00	7.17
			Min	7.91	7.66	7.73	7.94	7.92
3	pН	_	Max	8.03	7.85	7.81	8.11	8.12
	-		Avg.	7.97	7.77	7.77	8.02	8.02
		TT	Min	1.00	5.00	5.00	5.00	5.00
4	Colour	Haze	Max	5.00	15.00	10.00	5.00	5.00
		n	Avg.	3.67	11.67	8.33	5.00	5.00
			Min	1.00	1.00	1.00	1.00	1.00
5	Odour	TON	Max	1.00	1.00	1.00	1.00	1.00
			Avg.	1.00	1.00	1.00	1.00	1.00
			Min	>500	>500	>500	>500	>500
			141111	(QL=500)	(QL=500)	(QL=500)	(QL=500)	(QL=500)
6	Turbidity	NTU	Max	421.00	544.00	298.00	>500 (QL=500)	398.00
			Avg.	140.33	372.33	127.13	>500 (QL=500)	159.67
			Min	30388.00	32456.00	28576.00	32620.00	32254.00
7	TDS	mg/L	Max	32654.00	33964.00	33878.00	34480.00	34380.00
			Avg.	30776.67	33204.00	33052.00	33588.00	33447.33
			Min	504.00	186.00	174.00	626.00	318.00
8	TSS n	mg/L	Max	956.00	718.00	778.00	860.00	870.00
			Avg.	680.00	435.33	463.33	746.67	510.00
	Particulate		Min	3.18	0.77	0.78	2.93	0.63
9	Organic	mg/L	Max	5.91	5.47	3.21	4.16	4.92
	Carbon		Avg.	4.70	2.71	1.95	3.41	3.15
ء د	~~-	_	Min	33.80	20.40	40.00	51.46	62.14
10	COD	mg/L	Max	69.80	49.52	72.90	68.10	87.60
			Avg.	56.42	36.64	52.43	62.12	77.25
11	BOD	mg/L	Min	BQL (QL=3)	3.83	4.40	3.40	4.38
	202	1119/11	Max	8.73	6.19	9.11	8.35	10.25
			Avg.	5.65	4.67	6.17	6.06	7.47
		_	Min	>5(DL=5)	>5(DL=5)	>5(DL=5)	>5(DL=5)	>5(DL=5)
12	Silica	mg/L	Max	>5(DL=5)	4.73	4.39	>5(DL=5)	4.31
			Avg.	>5(DL=5)	3.15	0.19	>5(DL=5)	0.60
			Min	0.53	BQL (QL=0.005)	BQL (QL=0.005)	0.54	BQL (QL=0.005)
13	PO ₄	mg/L	Max	0.85	0.53	0.56	0.67	1.22
			Avg.	1.33	0.18	0.19	0.59	0.60
1.4	20	/T	Min	1620.50	1920.40	1924.80	1698.50	1807.40
14	SO ₄	mg/L	Max	2041.70	2161.00	2243.20	2070.00	1896.95



Sr.					Loca	ation Code		
No	Parameters	Unit		MA-D	MA-H1	MA-H2	MA-G1	MA-G2
			Avg.	1877.77	2027.10	2100.33	1890.27	1854.02
		_	Min	4.57	BQL (QL=1)	BQL (QL=1)	5.25	5.10
15	NO_3	mg/L	Max	5.42	7.45	7.41	5.47	5.50
			Avg.	4.97	4.60	4.33	5.38	5.34
				BQL	BQL	BQL	BQL	BQL
			Min	(QL=0.1)	(QL=0.1)	(QL=0.1)	(QL=0.1)	(QL=0.1)
4.0	NO		3.5	BQL		, ,	BQL	BQL
16	NO_2	mg/L	Max	(QL=0.1)	0.54	0.33	(QL=0.1)	(QL=0.1)
				BQL	0.20	0.10	BQL	BQL
			Avg.	(QL=0.1)	0.28	0.19	(QL=0.1)	(QL=0.1)
			Min	7315.00	8461.00	8272.00	8317.00	8444.00
17	Na	mg/L	Max	7926.00	>10,000	>10,000 (QL=10,000)	11565.00	9501.00
			Avg.	7618.00	5799.33	8940.00	9431.00	8985.33
			Min	215.00	231.84	232.00	278.00	246.00
18	K	mg/L	Max	274.70	388.00	434.00	340.00	330.00
		0	Avg.	248.23	307.28	320.33	303.67	289.00
			Min	0.19	0.04	BQL (QL=0.04)	0.18	0.05
19	Mn	mg/L	Max	0.82	0.22	0.85	0.79	0.97
			Avg.	0.42	0.11	0.30	0.41	0.65
			Min	2.35	0.87	1.14	2.51	0.93
20	Fe	mg/L	Max	9.34	2.99	11.97	11.62	13.79
		Ü	Avg.	5.62	1.71	4.75	6.16	6.80
				BQL	BQL	BQL	0.007	BQL
21	Total	/T	Min	(QL=0.005)	(QL=0.005)	(QL=0.005)	0.007	(QL=0.005)
41	Cr	mg/L	Max	0.020	0.007	0.030	0.031	0.035
			Avg.	0.013	0.002	0.010	0.017	0.017
			Min	BQL	BQL	BQL	BQL	BQL
			141111	(QL=0.01)	(QL=0.01)	(QL=0.01)	(QL=0.01)	(QL=0.01)
22	Hexavalent	mg/L	Max	BQL	BQL	BQL	BQL	BQL
	Cr	mg/L	171421	(QL=0.01)	(QL=0.01)	(QL=0.01)	(QL=0.01)	(QL=0.01)
			Avg.	BQL	BQL	BQL	BQL	BQL
				(QL=0.01)	(QL=0.01)	(QL=0.01)	(QL=0.01)	(QL=0.01)
			Min	0.014	BQL (QL=0.005)	BQL (QL=0.005)	0.011	0.007
23	Cu	mg/L	Max	0.038	0.014	0.048	0.049	0.058
			Avg.	0.023	0.005	0.016	0.026	0.032
			Min	BQL	BQL	BQL	BQL	BQL
				(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)
24	Cd	mg/L	Max	BQL	BQL (OI =0.005)	BQL	BQL	BQL
		Ü		(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)
			Avg.	BQL (OI =0.005)	BQL (OI =0.005)	BQL (OL =0.005)	BQL (OI =0.005)	BQL (OI =0.005)
25	Ag	mg/I	Min	(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)
45	As	mg/L	IVIIII	BQL	BQL	BQL	BQL	BQL



Sr.	D	TT . *4			Loca	ation Code			
No	Parameters	Unit		MA-D	MA-H1	MA-H2	MA-G1	MA-G2	
				(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)	
			Mari	BQL	BQL	BQL	0.015	0.021	
			Max	(QL=0.005)	(QL=0.005)	(QL=0.005)	0.015	0.021	
			Avg.	BQL	BQL	BQL	0.005	0.007	
			Avg.	(QL=0.005)	(QL=0.005)	(QL=0.005)	0.003	0.007	
			Min	BQL	BQL	BQL	0.002	0.002	
				(QL=0.002)	(QL=0.002)	(QL=0.002)	0.002	0.002	
26	Pb	mg/L	Max	0.015	BQL	0.006	0.007	0.009	
					(QL=0.002)				
			Avg.	0.006	BQL	0.002	0.005	0.005	
				DOI	(QL=0.002)	DOI	DOI	DOI	
			Min	BQL (QL=0.5)	BQL	BQL (OL =0.5)	BQL	BQL	
				` ` '	(QL=0.5)	(QL=0.5)	(QL=0.5)	(QL=0.5)	
27	Zn	mg/L	Max	BQL	BQL	BQL	BQL	BQL	
				(QL=0.5) BQL	(QL=0.5) BQL	(QL=0.5) BQL	(QL=0.5) BQL	(QL=0.5) BQL	
			Avg.	(QL=0.5)	(QL=0.5)	(QL=0.5)	(QL=0.5)	(QL=0.5)	
				BQL	BQL	BQL	BQL	BQL	
			Min	_		(QL=0.0005)	_	(QL=0.0005)	
20		7	3.5	BQL	BQL	BQL	BQL	BQL	
28	Hg	mg/L	Max	-	_	(QL=0.0005)			
			A 210	BQL	BQL	BQL	BQL	BQL	
			Avg.	(QL=0.0005)	(QL=0.0005)	(QL=0.0005)	(QL=0.0005)	(QL=0.0005)	
				Min	BQL	BQL	BQL	BQL	BQL
			141111	(QL=1)	(QL=1)	(QL=1)	(QL=1)	(QL=1)	
29	Oil &	mg/L	Max	BQL	BQL	BQL	BQL	BQL	
	grease	8/		(QL=1)	(QL=1)	(QL=1)	(QL=1)	(QL=1)	
			Avg.	BQL	BQL	BQL	BQL	BQL	
				(QL=1)	(QL=1)	(QL=1)	(QL=1)	(QL=1)	
	Micro-	1001	Min	2.00	BQL (QL =2)	9.00	BQL (QL =2)	BQL (QL =2)	
30	biological	100 ml/ MPN	Max	8.00	130.00	130.00	240.00	9.00	
	TC (MPN)	1411 14	Avg.	4.67	50.67	53.33	110.00	3.00	
					BQL		BQL	BQL	
	Micro-	100 ml/	Min	2.00	(QL=2)	2.00	(QL=2)	(QL = 2)	
31	biological	MPN	Max	8.00	130.00	17.00	240.00	9.00	
	FC (MPN)		Avg.	4.67	46.33	7.67	82.00	3.00	
				>1000	>1000	>1000	>1000	>1000	
			Min	(QL=1000)	(QL=1000)	(QL=1000)	(QL=1000)	(QL=1000)	
				>1000	>1000	>1000	>1000	>1000	
22	D	kg/	Max	(QL=1000)	(QL=1000)	(QL=1000)	(QL=1000)	(QL=1000)	
<i>5</i> 2	32 Density	m^3		(25-1000)	(22-1000)	(22-1000)	(22-1000)	(22-1000)	
				>1000	>1000	>1000	>1000	>1000	
			Avg.	(QL=1000)	(QL=1000)	(QL=1000)	(QL=1000)	(QL=1000)	
l				(22 1000)	(22 1000)	(22 1000)	(22 1000)	(22 1000)	



Sr.	Danamatana	Unit	Location Code					
No	Parameters	Omt		MA-D	MA-H1	MA-H2	MA-G1	MA-G2
	Floating material		Min	ND	ND	ND	ND	ND
33	33 (Scum,		Max	ND	ND	ND	ND	ND
	Petroleum products)		Avg	ND	ND	ND	ND	ND

BQL-Below Quantification Limit, QL- Quantification Limit

Table 11: Water quality criteria: primary water quality criteria for designated best uses for coastal waters [as per "the Environment (Protection) act, 1986]

Parameters	SW-I	SW-II	SW-III	SW-IV	SW-V
pН	6.5 - 8.5	6.5 - 8.5	6.5 - 8.5	6.0 - 9.0	6.0 - 9.0
Dissolved oxygen (as O ₂), mg/L, min	5 or 60% of saturation value, whichever	4 or 50% of saturation value, whichever	3 or 40% of saturation value, whichever	3 or 40% of saturation value, whichever	3 or 40% of saturation value, whichever is higher
Color & Odour	is higher No noticeable color or offensive odour	is higher No noticeable color or offensive odour	is higher No noticeable color or offensive odour	is higher No noticeable color or offensive odour	None in such concentrations that would impair any usages specifically assigned to this class
Floating matters	No visible, obnoxious floating debris, oil slick, scum	Nothing obnoxious or detrimental for use purpose	No visible, obnoxious floating debris, oil slick, scum	10 mg/L max. (including Oil & grease & scum / petroleum	-
Oil & grease, mg/L max. (including petroleum products)	0.1	-	-	products)	-
Suspended solids	None from sewage & industrial origin	-	-	-	_
Heavy metals • Mercury, mg/L (as Hg) • Lead, mg/L (as Pb) • Cadmium, mg/L (as Cd)	• 0.001 • 0.001 • 0.01	_	_	_	-
Turbidity, NTU max.	-	30	30	-	-



Parameters	SW-I	SW-II	SW-III	SW-IV	SW-V
Fecal coliforms, MPN/100ml, max	-	100	500	500	500
BOD, mg/L, 3 days at27°C, max	-	3	-	5	-
Dissolved iron, mgL max (as Fe)	1	1	0.5	-	-
Dissolved manganese, mg/L max (as Mn)	-	-	0.5	-	-
Sludge deposits, solid refuse, floating solids, oil & grease, scum	-	-	-	-	None except for such a small amount that may result from discharge of appropriately treated sewage & or industrial waste

SW-I: Salt pans, shell fishing, mariculture, and ecologically sensitive zone


SW-II: Bathing, contact water sports, and commercial fishing

SW-III: Industrial cooling, recreation (non-contact), and aesthetics

SW-IV: Harbor waters


SW-V: Navigation and controlled waste disposal






Graph 12: Average results of Physico-Chemical parameters of Marine water





Graph 13: Average results of Physico-Chemical and biological parameters of Marine water



Graph 14: Average results of metals of Marine water

2.5.1.2 Observations:

- From the analysis results of the marine water samples collected from the various locations, the following points were observed.
- Surface water was found highly turbid due to the accumulation of high amounts of suspended solids and water currents.
- There were no oil slicks or floating trash at the sampling locations.
- Average BOD was found slightly higher in the range of BQL-8.73 mg/L at Dahej (MA-D),
 4.40-9.11 mg/L at Hazira (MA-H2), 3.40-8.35 mg/L at Ghogha (MA-G1) and 4.38-10.25 mg/L at Ghogha (MA-G2) which may be due to human activities.



2.5.2 Marine sediment quality monitoring

The Marine sediment samples collected once a month from the locations of Dahej, Hazira & Ghogha.

2.5.2.1 Statistical Data and Graphs

The station-wise summarized results of the marine sediment monitoring are mentioned in **Table 12** and **Graph 15 to 16** below.

Table 12: Summarized results of Marine Sediment Monitoring

Sr.	D	TT24			Sampl	ing Locations		
No.	Parameters	Unit		MA-D	MA-H1	MA-H2	MA-G1	MA-G2
	Ougania		Min	0.56	1.34	1.37	1.69	1.69
1	Organic Matter	%	Max	1.14	1.70	1.77	2.18	2.53
	Matter		Avg.	0.80	1.50	1.60	1.86	2.10
	Inorganic		Min	0.15	0.80	0.90	1.07	1.25
2	phosphate	kg/Ha	Max	1.35	1.36	1.21	1.47	1.63
2	(Av. phosphorus)	Kg/11a	Avg.	0.89	1.14	1.06	1.24	1.44
			Min	521.01	524.62	526.12	462.54	476.38
3	Silica	mg/kg	Max	543.78	538.76	539.06	529.72	540.34
			Avg.	532.94	529.99	532.42	488.35	503.29
	Phosphate		Min	188.80	297.77	270.91	209.00	186.76
4	(Total	mg/kg	Max	356.00	501.28	537.84	403.71	399.68
	Phosphorous)		Avg.	273.12	394.77	405.59	274.46	275.14
			Min	40.50	53.92	72.15	122.39	164.47
5	SO_4	mg/kg	Max	69.50	129.57	119.03	238.28	216.13
			Avg.	55.43	103.02	88.25	161.85	189.25
6	NO ₂		Min	BQL (QL=0.1)	0.33	0.02	0.10	0.17
O	NO ₂	mg/kg	Max	0.37	0.41	0.59	0.60	0.93
			Avg.	0.18	0.38	0.31	0.31	0.47
			Min	3.31	4.92	4.85	7.19	5.42
7	NO_3	mg/kg	Max	4.06	6.33	6.80	8.24	8.16
			Avg.	3.69	5.57	5.78	7.78	6.97
			Min	2200.00	3200.00	3000.00	3000.00	2800.00
8	Ca	mg/kg	Max	3400.00	3700.00	3300.00	4200.00	4800.00
			Avg.	2700.00	3400.00	3166.67	3433.33	3966.67
			Min	915.00	2318.00	2257.00	2623.00	3477.00
9	Mg	mg/kg	Max	2745.00	3355.00	3050.00	5246.00	4453.00
			Avg.	1789.33	2907.67	2684.00	3538.00	4005.67
			Min	3589.00	6903.00	7786.00	14130.00	18370.58
10	10 Na	mg/kg	Max	9058.00	14704.00	15440.00	32525.03	36285.00
			Avg.	6595.44	11125.00	11395.33	20858.34	25758.53
			Min	1369.00	3278.00	3449.00	4383.00	3322.13
11	K	mg/kg	Max	3854.00	4411.00	5025.00	6106.42	4716.00
			Avg.	2477.59	3847.00	4024.00	5006.47	4239.38
12	Al	mg/kg	Min	920.12	1272.65	1284.19	722.07	785.25
14	All	mg/kg	Max	8634.23	18708.92	18096.01	1524.61	1538.85




Final Quarterly EMP report (13th Jan 2024 to 12th Apr 2024)


Sr.	Davamatava	T1:4			Sampl	ing Locations		
No.	Parameters	Unit		MA-D	MA-H1	MA-H2	MA-G1	MA-G2
			Avg.	3672.43	7246.90	7046.08	1049.07	1094.88
			Min	61.27	102.76	101.89	86.57	91.23
13	Cr	mg/kg	Max	90.28	106.01	108.77	100.14	95.09
			Avg.	78.27	104.13	105.59	93.34	93.25
			Min	24.75	43.11	40.49	36.44	37.87
14	Ni	mg/kg	Max	37.66	44.01	46.73	44.86	41.82
			Avg.	32.61	43.61	43.51	40.49	39.94
			Min	71.64	64.87	66.20	61.36	60.31
15	Zn	mg/kg	Max	80.33	75.98	80.52	64.20	62.10
			Avg.	77.08	68.86	75.74	62.33	61.18
			Min	BQL	BQL	BQL	BQL	BQL
			IVIIII	(QL=1)	(QL=1)	(QL=1)	(QL=1)	(QL=1)
16	Cd	mg/kg	Max	BQL	BQL	BQL	BQL	BQL
10	Cu		Max	(QL=1)	(QL=1)	(QL=1)	(QL=1)	(QL=1)
			Avg.	BQL	BQL	BQL	BQL	BQL
			Avg.	(QL=1)	(QL=1)	(QL=1)	(QL=1)	(QL=1)
			Min	6.35	3.36	3.56	3.74	3.67
17	Pb	mg/kg	Max	7.77	4.18	4.77	16.64	4.15
			Avg.	7.23	3.70	4.00	8.07	3.93
			Min	4.07	3.85	3.68	3.94	3.68
18	As	mg/kg	Max	5.78	5.04	5.83	6.59	4.47
			Avg.	4.68	4.46	4.70	4.92	4.00
			Min	BQL	BQL	BQL	BQL	BQL
			141111	(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)
19	Hg	mg/kg	Max	BQL	BQL	BQL	BQL	BQL
17	ng .	mg/Ng	Wiax	(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)
			Avg.	BQL	BQL	BQL	BQL	BQL
				(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)	(QL=0.005)
			Min	69.45	69.70	69.75	61.82	61.80
20	Cu	mg/kg	Max	74.45	84.76	87.83	70.98	65.99
			Avg.	72.11	75.29	76.25	65.93	64.25

BQL – Below Quantification Limit, QL- Quantification Limit





Graph 15: Average results of Marine sediment parameters



Graph 16: Average results of metals of Marine sediment

2.5.2.2 Observations:

The average results of marine sediment of Dahej, Hazira, and Ghogha was compared and the following were observed.

- Organic matter in sediment consists of carbon and nutrients in the form of carbohydrates, proteins, fats, and nucleic acids. Sediment organic matter is derived from plant and animal detritus, bacteria, or plankton formed in situ, or derived from natural and anthropogenic sources in catchments. The concentration of organic matter was found in the range of 0.56-1.14 % at MA-D, 1.34-1.70 % at MA-H1, 1.37-1.77 % at MA-H2, 1.69-2.18 % at MA-G1 and 1.69-2.53 % at MA-G2 locations.
- The concentration of Inorganic phosphate was found in the range of 0.15-1.35 kg/Ha at

Final Quarterly EMP report (13th Jan 2024 to 12th Apr 2024)



MA-D, 0.80-1.36 kg/Ha at MA-H1, 0.90-1.21 kg/Ha at MA-H2, 1.07-1.47 kg/Ha at MA-G1 and 1.25-1.63 kg/Ha at MA-G2 locations. The capacity of sediment to retain or release phosphorus is one of the important factors, that influence the concentration of inorganic/organic phosphorus in the overlying waters (Saravanakumar, Rajkumar, Serebiah, & Thivakaran, 2008).

- The texture of the sediments was found to vary during Jan-Feb'24, Feb-March'24 and March-April'24 month. It was found to be between Loam and Silt loam at MA-D, found to be between loam- sandy loam at MA-H1 & MA-H2, and between Silt loam to silty clay loam at MA-G1 & MA-G2.
- The concentration of Sulphate was found in the range of 40.50-69.50 mg/kg at MA-D, 53.92-129.57 mg/kg at MA-H1, 72.15-119.03 mg/kg at MA-H2, 122.39-238.28 mg/kg at MA-G1 and 164.47-216.13 mg/kg at MA-G2 locations. The sulphate concentrations in marine sediment can vary naturally based on geological and hydrological factors.
- The Nitrite concentration was found in the range of BQL-0.37 mg/kg at MA-D, 0.33-0.41 mg/kg at MA-H1, 0.02-0.59 mg/kg at MA-H2, 0.10-0.60 mg/kg at MA-G1 and 0.17-0.93 mg/kg at MA-G2 locations.
- The Nitrate concentration was found in the range of 3.31-4.06 mg/kg at MA-D, 4.92-6.33 mg/kg at MA-H1, 4.85-6.80 mg/kg at MA-H2, 7.19-8.24 mg/kg at MA-G1 and 5.42-8.16 mg/kg at MA-G2 locations.
- The Ca was found in the range of 2200-3400 mg/kg at MA-D, 3200-3700 mg/kg at MA-H1, 3000-3300 mg/kg at MA-H2, 3000-4200 mg/kg at MA-G1 and 2800-4800 mg/kg at MA-G2 locations. The source of Ca accumulation in marine sediment may be because of its naturally occurring element and its concentration can vary widely from local geological, hydrological conditions and environmental factors. It depends on various factors, including the composition of the underlying rocks, and the presence of calcareous organisms like coral reefs.
- The Mg was found in the range of 915-2745 mg/kg at MA-D, 2318-3355 mg/kg at MA-H1, 2257-3050 mg/kg at MA-H2, 2623-5246 mg/kg at MA-G1 and 3477-4453 mg/kg at MA-G2 locations. Magnesium is an essential component of marine sediments and plays a significant role in marine ecosystem dynamics. The concentration of magnesium in marine sediments can depend on various factors, including the composition of the underlying rocks, sediment type, and local hydrological conditions.
- The values for Sodium in marine sediment were found in the wide range of 3589-9058 mg/kg at MA-D, 6903-14704 mg/kg at MA-H1, 7786-15440 mg/kg at MA-H2, 14130-

Final Quarterly EMP report (13th Jan 2024 to 12th Apr 2024)



32525.03 mg/kg at MA-G1 and 18370.58-36285 mg/kg at MA-G2 locations. Sodium concentrations in marine sediments are often correlated with salinity levels. It is an essential component of marine ecosystems.

- The values for Potassium were found in the range of 1369-3854 mg/kg at MA-D, 3278-4411 mg/kg at MA-H1, 3449-5025 mg/kg at MA-H2, 4383-6106.42 mg/kg at MA-G1 and 3322.13-4716 mg/kg at MA-G2 locations. Potassium is an essential nutrient for plants and the composition of parent materials, sediment types, weathering processes, and local hydrological conditions.
- The Silica in marine sediment was found in the range of 521.01-543.78 mg/kg at MA-D, 524.62-538.76 mg/kg at MA-H1, 526.12-539.06 mg/kg at MA-H2, 462.54-529.72 mg/kg at MA-G1 and 476.38-540.34 mg/kg at MA-G2 locations. Its presence in marine sediments can be attributed to both natural geological processes and biological contributions such as mineral weathering, biogenic silica, aquatic plants, and oceanographic processes.
- The Total phosphorus concentration was found in the range of 188.80-356 mg/kg at MA-D, 297.77-501.28 mg/kg at MA-H1, 270.91-537.84 mg/kg at MA-H2, 209-403.71 mg/kg at MA-G1 and 186.76-399.68 mg/kg at MA-G2 locations. Phosphorus is an essential nutrient for marine ecosystems, playing a crucial role in biological processes. Its presence in marine sediments can have significant implications for nutrient cycling and ecosystem health. It can accumulate on the seafloor due to land runoff, natural weathering, decomposition of organic matter, local geology, etc.
- The sediment quality for the trace metals concentration was compared to the sediment quality guidelines (US Environmental Protection Agency, 1977; Augustynowicz, et al., 2013; B., X., X., & S., 2018; Saravanakumar, Rajkumar, Serebiah, & Thivakaran, 2008; Sanyal, Anilava, & Subrata, 2017; Tokatli, 2017; Perin, Bonardi, & Scotto, 1997; Onjefu & Kwaambwa, 2020; Pazi, 2011), as shown in **Table 13**.

Table 13: Sediment Quality Guidelines (SQG) of the US Environmental Protection Agency (EPA) 1977

Metals	Sedime	Sediment quality (mg/kg)									
	Not polluted	Moderately polluted	Heavily polluted								
As	<3	3-8	>8								
Cu	<25	25-50	>50								
Cr	<25	25-75	>75								
Ni	<20	20-50	>50								
Pb	<40	40-60	>60								
Zn	<90	90-200	>200								
Al	ND	ND	ND								
Cd	-	<6	>6								



Metals	Sediment quality (mg/kg)								
	Not polluted	Moderately polluted	Heavily polluted						
ND- Not	ND- Not detected								

• As per the comparison of the metals to this guideline, a variation in the concentration of the metals was found. The concentration of Zn, Cd and Pb was found in the 'Not polluted' quality classes. The concentration of As and Ni was found in the 'Moderately polluted' quality class. Whereas, concentration of Cr, Al and Cu were found in 'Heavily polluted' class. Sediments are highly dynamic, constantly being deposited and carried away by water currents (Labenua, et al., 2023). The possible reasons for the higher concentration of some heavy metals may be attributed to the high sedimentation rate and due to various natural and anthropogenic factor.

2.5.3 Marine Ecological Monitoring

The various parameters were monitored for Marine ecological monitoring monthly basis are mentioned in **Table 2** as above.

2.5.3.1 Statistical Data and Graphs


The station-wise summarized results of the marine ecological monitoring are mentioned in **Table 14** and **Graph 17 to 18** below:

Table 14: Result of Marine ecological monitoring for Biomass, NPP, GPP, Pheophytin, Chlorophyll-a, Seechi depth & Particulate Oxidizable Organic Carbon

Location Code & Sampling Date	Biomass	Gross Primary Productivity (GPP)	Net Primary Productivity (NPP)	Pheophytin	Chlorophyll -a	Secchi Depth	Particulate Oxidizable Organic Carbon
Date	mg/L	mg/L/Hr	mg/L/Hr	mg/m ³	mg/m ³	meter	mg/L
MA-D 05-02-2024	166	BQL	BQL	3.5	37.60	0.10	5.01
MA-H1 07-02-2024	170	BQL	0.01	11	1.841	0.15	1.89
MA-H2 07-02-2024	196	BQL	BQL	7	1.620	0.06	1.86
MA-G1 02-02-2024	202	BQL	BQL	3	1.841	0.06	3.14
MA-G2 02-02-2024	148	BQL	BQL	2	0.527	0.06	0.63
MA-D 16-02-2024	190	BQL	BQL	BQL	1.055	0.06	3.18
MA-H1 28-02-2024	200	BQL	BQL	BQL	0.118	0.06	5.47
MA-H2 28-02-2024	204	BQL	BQL	BQL	0.648	0.09	3.21




Samping	Biomass	Gross Primary Productivity (GPP)	Net Primary Productivity (NPP)		Chlorophyll -a	Secchi Depth	Particulate Oxidizable Organic Carbon
Date	mg/L	mg/L/Hr	mg/L/Hr	mg/m ³	mg/m ³	meter	mg/L
MA-G1 14-02-2024	232	BQL	BQL	BQL	0.789	0.06	4.16
MA-G2 14-02-2024	264	BQL	0.01	BQL	0.496	0.07	3.89
MA-D 26-03-2024	302	BQL	BQL	6	2.674	0.06	5.91
MA-H1 02-04-2024	114	BQL	BQL	BQL	1.127	0.20	0.77
MA-H2 02-04-2024	128	BQL	BQL	BQL	0.306	0.20	0.78
MA-G1 19-03-2024	162	-	-	BQL	5.359	0.06	2.93
MA-G2 19-03-2024	286	-	-	BQL	8.662	0.07	4.92



Graph 17: Sampling locations with their respective phytoplankton genera counts





Graph 18: Representation of benthic macrofauna obtained during monitoring period

2.5.3.2 Observations:

- The indication of Biomass content monitored in the study area ranging from 114 to 302 mg/L can be attributed to chlorophyll-containing along with chlorophyll-lacking primary producer organisms. For such values of biomass content, the waterbody under study is having nominal amount of planktonic algal chlorophyll. In the water bodies containing nominal amounts of phytoplankton, the Secchi depth is directly correlated to the levels of inorganic turbidity and color. (Lee, G. F., Jones-Lee, A., & Rast, W. (1995). Secchi depth as a water quality parameter. *Publication Pending*.)
- The phosphorus and nitrate concentrations of the study area have shown moderate to lower values even certain with below quantifiable limits. Such nutrient limiting conditions have resulted in negligible phytoplankton counts and ultimately absence of zooplankton organisms.
- Adequate light and favorable temperatures alone are insufficient to promote phytoplankton growth in the absence of above necessary nutrients.
- Rapid salinity fluctuations further are likely to inhibit the growth of stenohaline plankton and benthic macroinvertebrates, resulting in almost negligible productivity and low benthic macroinvertebrate counts.



- The chlorophyll content monitored shows the values found between 0.118 to 37.6 mg/m³. Higher chlorophyll content may relate to optimum Dissolved oxygen levels.
- The pheophytin content monitored at various locations mostly show below quantification limit values. Certain range from 2.0 to 11.0 mg/m³ out of all 15 locations monitored. Consequently, minimal decomposition of chlorophyll has taken place. This typically signifies that the phytoplankton death or decomposition has not occurred in this water system (Wetzel, R.G. (2001). *Limnology: Lake and River Ecosystems*. Academic Press. This book explains the relationship between chlorophyll degradation products like pheophytin and environmental conditions) and the probability of phytoplankton population's stability might be fair and healthy with low turnover rates. This suggests a balanced aquatic environment and minimal impact from nutrient pollution.



2.6 Meteorological monitoring

- To determine the prevailing micro-meteorological conditions at the project site the Automatic Weather Monitoring Stations (AWS) have been installed at the sites of Dahej, Hazira, and Ghogha at 10 m above the ground.
- The summary of hourly meteorological observations recorded at the observatory, Dahej, Hazira, and Ghogha for the significant parameters has been mentioned in **Table 15**.

Table 15: Result of Meteorological monitoring

Sr.	Lagation	Dowlad	Wind		d Speed (m/s)	d	Rain	Relati	ve Hum (%)	nidity	Ten	nperatu (°C)	ire	Solar Radiation
No.	Location	Period	Direction	Mean	Max	Min	mm/hr (Avg)	Mean	Max	Min	Mean	Max	Min	W/m ² (Avg)
1	M-D		From West- North- West	1.92	5.69	0.57	0.01	60.2	64.2	56.09	29.5	36.3	28.38	80.63
2	М-Н	January'24 – April'24	From North	5.97	10.2	2.55	0.01	73.18	76.78	64.6	33.48	35.78	29.2	47.9
3	M-G		From North- North- West	2.54	7.57	1.86	0.01	72.14	73.54	62.79	32.05	35.4	28.16	81.45



The monthly average of maximum and minimum daily observed values summarized in **Table 15** have been discussed as follows.

• Temperature

- Dahej: The ambient temperature varied from 28.38-36.3°C with an average temperature of 29.5°C.
- Hazira: The ambient temperature varied from 29.2-35.78°C with an average temperature of 33.48°C.
- Ghogha: The ambient temperature varied from 28.16-35.4°C with an average temperature of 32.05°C.

• Relative Humidity

- Dahej: The relative humidity was recorded in the range of 56.09-64.2%, with an average Humidity of 60.2%.
- Hazira: The relative humidity was recorded in the range of 64.6-76.78%, with an average humidity of 73.18%.
- Ghogha: The relative humidity was recorded in the range of 62.79-73.54%, with an average humidity of 72.14%

Rainfall

- Dahej: The average rainfall was recorded 0.01 mm/hr.
- Hazira: The average rainfall was recorded as 0.01 mm/hr.
- Ghogha: The average rainfall was recorded as 0.01 mm/hr.

• Wind Speed

- Wind speed and Direction play a significant role in transporting the pollutants and thus decide the air quality.
- Dahej: The wind speed was recorded in the ranges of 0.57-5.69 m/s with an average of 1.92 m/s.
- Hazira: The wind speed was recorded in the ranges of 2.55-10.2 m/s with an average of 5.97 m/s.
- Ghogha: The wind speed was recorded in the ranges of 1.86-7.57 m/s with an average of 2.54 m/s.

• Solar Radiation

■ The average solar radiation at Dahej, Hazira, and Ghogha was 80.63 W/m2, 47.9 W/m2 and



81.45 W/m2 respectively.

• Wind rose diagram

■ The wind-rose diagram has been drawn based on hourly wind speed and direction data. This wind rose reveals that the prevailing winds in Dahej, Hazira, and Ghogha predominantly blow from a West-North-West (WNW), North (N), and North-North-West (NNW) direction respectively.






Figure 5: Windrose plot at Dahej






Figure 5. Windrose plot at Hazira






Figure 6. Windrose plot at Ghogha



2.7 DG stack emissions monitoring

DG sets at the Deendayal Port Authority (DPA) are generally utilized as a secondary power source. The sampling & monitoring of the DG stack emissions was carried out once a month at Dahej, Hazira and Ghogha.

2.7.1 Statistical Data and Graphs


The station-wise summarized results of the DG stack emissions monitoring are mentioned in **Table 16** and **Graph 19** below.

Table 16: Summarized results of DG Stack emissions

Sr.	D	T 1 24	DG Set		Lo	cation Co	de
No.	Parameters	Unit	standards		DG-D	DG-H	DG-G
	Suspended			Min	126	130	128
1	Particulate Matter	mg/Nm ³	150	Max	128	132	136
	(SPM)			Avg	127	131.33	131
				Min	N.D.	N.D.	N.D.
2	SO ₂	PPM	100	Max	N.D.	N.D.	N.D.
				Avg	N.D.	N.D.	N.D.
				Min	45.00	45.00	42.00
3	NOx	PPM	50	Max	46.00	47.60	47.10
				Avg	45.40	46.53	44.03
				Min	0.0075	0.0074	0.0078
4	CO	%	-	Max	0.0092	0.0095	0.0089
				Avg	0.0083	0.0082	0.0082
				Min	1.16	1.25	1.22
5	CO_2	%	-	Max	1.49	1.41	1.32
				Avg	1.28	1.33	1.26

N.D. - Not Detected





Graph 19: Average results of DG Stack emission parameters

2.7.2 Observations:

The average results of DG stack emissions for Dahej, Hazira and Ghogha were compared with the permissible limits mentioned in the DG Sets standards and were found within the prescribed limit for SPM, SO₂ and NO_X.



References

- 1. Retrieved from http://ark.cdlib.org/ark:/13030/kt167nb66r/
- 2. Augustynowicz, J., A., Kolton, A., Baran, A., Kostecka-Gugala, W., & Lasek. (2013). Strategy of Cr detoxification by Callitriche cophocarpa. *Central European Journal Of Chemistry*, 295-303.
- 3. Bi, B. L. ((2018)). Occurrence and risk assessment of heavy metals in water, sediment, and fish from Dongting Lake, China. *Environmental Science and Pollution Research*, 34076-34090.
- 4. Elser, J., J., Marzolf, R., E., Goldman, & R., C. (1990). Phosphorus and nitrogen limitation of phytoplankton growth in the freshwaters of North America: a review and critique of experimental enrichments. *Canadian Journal of fisheries and aquatic sciences*.
- 5. Hecky, R. E., K., & P. (1988). Nutrient limitation of phytoplankton in freshwater and marine environments: a review of recent evidence on the effects of enrichment. *Limnology and oceanography*, 796-822.
- 6. Labenua, R., S. M., Yaqin, K., Paembonan, R. E., Ismail, F., & Harahap, Z. A. (2023). Distribution of heavy metals Hg, Pb, and Cr in the coastal waters of small islands of Ternate, Indonesia. *Acta Ecologica Sinica*.
- 7. Onjefu, S. A., & Kwaambwa, H. (2020). Assessment of heavy metals pollution in sediment at the Omaruru River basin in Erongo region, Namibia. *Environmental Pollutants and Bioavailability*, 187-193.
- 8. Pazi, I. (2011). Assessment of heavy metal contamination in Candarli Gulf sediment, Eastern Aegean Sea. *Environmental monitoring and assessment*, 199-208.
- 9. Perin, G., Bonardi, M., & Scotto, S. (1997). Heavy metal pollution in central Venice Lagoon bottom sediments: evaluation of the metal bioavailability by geochemical speciation procedure. *Environmental Technology*, 593-604.
- 10. Sanyal, T., Anilava, K., & Subrata, S. (2017). Toxicity and bioaccumulation of chromium in some freshwater fish. *Human and Ecological Risk Assessment: An International Journal*.
- 11. Saravanakumar, A., Rajkumar, M., Serebiah, J., & Thivakaran, G. (2008). Seasonal variation in physico-chemical characteristics of water, sediment and soil texture in arid zone mangroves of Kachchh-Gujarat. *J. Environ. Biol.*, 725-732.
- 12. *The Oceans, Their Physics, Chemistry, and General Biology.* (n.d.). New York: Prentice-Hall.
- 13. Tokatli, C. (2017). Bioecological and statistical risk assessment of heavy metals in water, sediment, and fish from Dongting Lake, China. *Environmental Science and Pollution Research*, 34-47.
- 14. US Environmental Protection Agency, E. (1977). Sediment Quality Guidelines (SQG).



Gujarat Environment Management Institute (GEMI)

(An Autonomous Institute of Government of Gujarat)

HEAD OFFICE

"GEMI Bhavan", Plot No. B 246 & 247, Electronic Estate, GIDC, Sector 25, Gandhinagar, Gujarat 382024

LABORATORY

Plot No. B-64, Electronic Estate GIDC, Sector-25, Gandhinagar-382025



079 23240964



079 23240965



079 23240964 info-gemi@gujarat.gov.in



www.gemi.gujarat.gov.in

ANNEXURE-7

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN, SECTOR 10-A, GANDHINAGAR - 382010, (T) 079-23232152

By R.P.A.D

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 3(3) & 6 of the Hazardous Waste (Management and Handling & Trans boundary Movement) Rules,2016 framed under the Environmental (Protection) Act-1986. This Board is empowered to Grant CC&A.

And whereas Board has received consolidated consent application Inward no. 261148 dated 27/07/2022 for the Consolidated Consent and Authorization (CC & A) of this Board under the provisions / rules of the aforesaid Acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts)

M/s. Deendayal Port Authority
Essar Bulk Terminal Ltd, Adani Hazira Port Road,
Hazira Gam, Suvali - 394270,
Tal: Chorasi, Dist: Surat.

- 1. Consent Order No. AWII-127510 Date of issue: 10/07/2023.
- 2. The consents shall be <u>valid upto 26/07/2027</u> for the use of outlet for the discharge of treated effluent and emission due to operation facility of the following activity:

Sr. No.	Facility
1	"600 Meter water front including berthing Jetty of 170 meter and
ļ <u>'</u>	5 Ha back up area for Ro-Ro/Ro-Pax Facility"

SUBJECT TO SPECIFIC CONDITION:

- I. Industry shall strictly comply with EC issued by Central Authority vide their letter No: F. No. 11-46/2011-IA.III dated: 04/04/2022.
- II. Industry shall manage Solid Wastes generated from industrial activities as per Solid Waste Management Rules-2016 (solid waste as defined in Rule-3(46)).
- 111. As per Provisions of Rule 18 of Solid Waste Management Rules-2016 you are directed to make an arrangement in Utilities to replace at least five percent (5%) of your solid fuel requirement by 'refused derived fuel'.
- IV. To do retrofitting at D.G. Sets for emission control and unit shall submit compliance with respect to Board circular No. GPCB/Air Action 03 (1)(E)/599145, dated 27/08/2021 in the matter of NGT O.A. No. 681/2018.
- V. Unit shall abide by any decision/order in the NGT matter OA No: 59/2022 (WZ)

3. <u>CONDITIONS UNDER THE WATER ACT:</u>

3.1. Source of Water: Gujarat Water Supply & Sewerage Board (GWSSB).

M/s, Deendayal Port Authority (ID: 88242)

Page 1 of 6

Clean Gujarat Green Gujarat

Website: https://gpcb.gujarat.gov.in

- 3.2. The quantity of the fresh water consumption for industrial purpose shall be NIL.
- 3.3. The quantity of the fresh water consumption for domestic purpose shall not exceed 12 KL/Day.
- 3.4. There shall be no industrial waste water generation from the manufacturing process and other ancillary industrial operations.
- 3.5. The quantity of domestic waste water shall not exceed 8 KL/Day.
- 3.6. Domestic waste water shall be disposed through septic tank/soak pit system.

4. CONDITIONS UNDER THE AIR ACT:

4.1. The following shall be used as a fuel in D.G. Set.

Sr. No.	Fuel	Quantity
1	Diesel	50 Liter/Hr.

- 4.2. The applicant shall install & operate comprehensive adequate air pollution control system in order to achieve prescribed norms.
- 4.3. The flue gas emission through stack attached to D.G. Set shall conform to the following standards:

Stack No.	Stack Attached to	Stack Height in Meter	Air Pollution Control System	Parameters	Permissible Limit
1	D.G. Set (300 KVA) Stand by	11	Acoustic Enclosure	Particulate Matter SO_2 NO_x	150 mg /Nm ³ 100 ppm 50 ppm

- 4.4. There shall be no process emission from the manufacturing process as well as any other ancillary process.
- 4.5. Applicant shall comply with National Ambient Air Quality Standards notified by Central Pollution Control Board, New Delhi time to time under the provision of the Environment (Protection) Act-1986 for all the parameters. The concentration of all parameters in the ambient air within the premises of the industry and a distance of 10 meters from the sources (other than the stack/vent) shall not exceed than the permissible limit.

D	Permissible Limit (μg/m³)			
Parameters	Annual	24 Hrs Average		
Particulate Matter-10 (PM ₁₀)	60	100		
Particulate Matter-2.5 (PM _{2,5})	40	60		
SO_2	50	80		
NO _x	40	80		

- 4.6. The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- 4.7. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6 a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.

GUJARAT POLLUTION CONTROL BOARD



PARYAVARAN BHAVAN, SECTOR 10-A, GANDHINAGAR - 382010, (T) 079-23232152

5. D. G. Sets Conditions:

The D. G. Set shall have acoustic enclosure and shall comply with the standards specified at sr. no. 95 of Schedule-I of the rule-3 of E.P. Rules - 1986 and Noise pollution level as per the Air Act - 1981.

D. G. Set Standards:

- a. The flue gas emission through stack attached to D. G. Sets shall conform to the following standards.
- b. The minimum height of stack to be provided with each of the generator set shall be H = h + 0.2 (KVA)1/2, where H = Total stack height in meter, h = height of the building in meters where or by the side of which the generator set is installed.
- c. Noise from DG set shall be controlled by providing an acoustic enclosure or by treating the room acoustically, at the users end.
- d. The acoustic enclosure or acoustic treatment of the room shall be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on the higher side (if the actual ambient noise is on the higher side, it may be possible to check the performance of the acoustic enclosure / acoustic treatment, under such circumstances the performance may be checked for noise reduction up to actual ambient noise level preferably, in the night time). The measurement for insertion loss may be done at different points at 0.5 m from the acoustic enclosure/room, and the averaged.
- e. The D.G set shall be provided with proper exhaust muffler with insertion loss of minimum 25 dB (A).
- f. All efforts shall be made to bring down the noise level due to the D. G. Set, outside the premises, within the ambient noise requirements by proper sitting and control measures.
- g. Installation of a D. G. Sets must be strictly in compliance with the recommendations of the D. G. Set manufacturer.
- h. A proper routine and preventive maintenance procedure for the D. G. Set should be set and followed in consultation with the DG Sets manufacture which would help prevent noise levels of the DG Set from deteriorating with use.

6. AUTHORIZATION as per HAZARDOUS AND OTHER WASTE (MANAGEMENT AND TRANSBOUNDARY) RULES, 2016 Form-2 [See rule 6 (2)]

Form for grant of authorization for occupier or operator handling Hazardous waste

- 6.1. Authorization order No: <u>AWH-127510</u> of Issue: <u>10/07/2023</u>.
- 6.2. M/s. Deendayal Port Authority is hereby granted an authorization to operate facility for following hazardous wastes on the premises situated at Essar Bulk Terminal Ltd., Adani Hazira Port Road, Hazira Gam, Suvali 394270, Tal: Chorasi, Dist: Surat.

Sr. No.	Waste (Schedule-I/ Category)	Quantity MT/Year	Facility
1	Used Oil (I/5.I)	0.010	Collection, storage, & sale out to MOEF registered recyclers through online xgn generated manifest system and vehicle registered with VLTS system only.

- 6.3. The authorization shall be valid up to 26/07/2027.
- 6.4. The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.

M/s, Deendayal Port Authority (ID: 88242)

Page 3 of 6

Clean Gujarat Green Gujarat

Website: https://gpcb.gujarat.gov.in

6.5. The authorization is granted to operate a facility for collection, storage within factory premises transportation and ultimate disposal of Hazardous wastes as per condition no.6.2 to the industry having valid CCA of this Board.

7. TERMS AND CONDITIONS OF AUTHORISATION

- 7.1 The applicant shall comply with the provisions of the Environment (Protection) Act-1986 and the rules made there under.
- 7.2 The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the Gujarat Pollution Control Board.
- 7.3 The persons authorized shall not rent, lend, sell, and transfer or otherwise transport the hazardous wastes without obtaining prior permission of the Gujarat Pollution Control Board.
- 7.4 Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorization order by the persons authorized shall constitute a beach of this authorization.
- 7.5 The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
- 7.6 The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Wastes and Penalty"
- 7.7 It is the duty of the authorized person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
- 7.8 An application for the renewal of an authorization shall be made as laid down in rules 6(2) under Hazardous Waste and Other Waste Rules, 2016.
- 7.9 The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
- 7.10 The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
- 7.11 The hazardous and other wastes which gets generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.
- 7.12 The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
- 7.13 Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
- 7.14 The waste generator shall be totally responsible for (i.e. collection, storage, transportation and ultimate disposal) the wastes generated.
- 7.15 Records of waste generation, its management and annual return shall be submitted to Gujarat Pollution Control Board in Form-4 by 30th day of June of every year for the preceding period April to March.
- 7.16 In case of any accident, details of the same shall be submitted on Form-11 to Gujarat Pollution Control Board.
- 7.17 As per Public Liability Insurance Act-91" company shall get Insurance Policy, if applicable.
- 7.18 Empty drums and containers of toxic and hazard material shall be treated as per guideline published for "Management & Handling of discarded containers". Records of the same shall be maintained and forwarded to Gujarat Pollution Control Board regularly.

M/s. Deendayal Port Authority (ID: 88242)

GUJARAT POLLUTION CONTROL BOARD



PARYAVARAN BHAVAN, SECTOR 10-A, GANDHINAGAR - 382010, (T) 079-23232152

- 7.19 In case of transport of hazardous wastes to a facility for (i.e. treatment, storage and disposal) existing in a State other than the State where hazardous wastes are generated, the occupier shall obtain 'No Objection Certificate' from the State Pollution Control Board or Committee of the concerned State of Union Territory Administration where the facility exists.
- 7.20 Unit shall take all concrete measures to show tangible results in waste generation, reduction, avoidance, reuse and recycle. Actions taken in this regard shall be submitted within three months and also along with Form-4.
- 7.21 Industry shall have to display the relevant information with regards to hazardous waste as indicated in the Hon. Supreme Court's Order in W.P. No.657 of 1995 dated 14th October, 2003.
- 7.22 Industry shall have to display on-line data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including wastewater and air emissions and solid hazardous wastes generated within the factory premises.

8. GENERAL CONDITIONS:

- 8.1 Any change in personnel, equipment or working conditions as mentioned in the consents form/order should immediately be intimated to this Board.
- 8.2 Applicant shall also comply with the general conditions given in annexure I.
- 8.3 Whenever due to accident or other unforeseen act or ever, such emissions occur or is apprehended to occur in excess of standards laid down such information shall be forthwith reported to Board, concerned Police Station, Office of Directorate of Health Service, Department of Explosives, Inspectorate of Factories and local body.
- 8.4 In case of failure of pollution control equipments, the production process connected to it shall be stopped. Remedial actions/measures shall be implemented immediately to bring entire situation normal.
- 8.5 The Environmental Management Unit/Cell shall be setup to ensure implementation on and monitoring of environmental safeguards and other conditions stipulated by statutory authorities. The Environmental Management Cell/Unit shall directly report to the Chief Executive of the organization and shall work as a focal point for internalizing environmental issues. These cells/units also coordinate the exercise—of environmental audit and preparation of environmental statements.
- 8.6 The Environmental audit shall be carried out yearly and the environmental statements pertaining to the previous year shall be submitting to this State Board latest by 30th September every year.
- 8.7 The Board reserves the right to review and/or revoke the consent and/or make variations in the conditions, which the Board deems, fit in accordance with Section 27 of the Act.
- 8.8 In case of change of ownership/management the name and address of the new owners/partners/directors/proprietor should immediately be intimated to the Board.
- 8.9 Industry shall have to display the relevant information with regard to hazardous waste as indicated in the Hon. Supreme order in w.p. no. 657 of 1995 dated 14th October 2003.

9. SPECIFIC CONDITIONS:

9.1 The authorized actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorization.

M/s, Deendayal Port Authority (ID: 88242)

Page 5 of 6

Website: https://gpcb.gujarat.gov.in

- 9.2 Handling over of the hazardous and other wastes to the authorized actual user shall be only after making the entry in the passbook of the actual user.
- 9.3 In case of renewal of authorization, a self-certified compliance report in respect of effluent, emission standards and the conditions specified in the authorization for hazardous and other wastes shall be submitted to SPCB.
- 9.4 The occupier of the facility shall comply Standard operating procedure/guidelines published by MOEF&CC or CPCB or GPCB from time to time.
- 9.5 Unit shall comply provisions of E-Waste Management Rules-2016.
- 9.6 The disposal of Hazardous Waste shall be carried out as per the waste Management hierarchy.
- 9.7 The occupiers of facilities shall not store the hazardous and other wastes for a period not exceeding ninety days. Prior permission of the Board shall be obtained for extension of the storage period.
- 9.8 The occupier shall maintain the records of generation, sale, storage, transport, recycling, co processing and disposal of hazardous waste and make available during the inspection.

9.9 The transportation of the hazardous waste shall be carried out in GPS mounted dedicated vehicles.

For and on behalf of Gujarat Pollution Control Board

(M. R. Macwana) Unit Head, Surat

NO: GPCB/CCA-SRT-2458/ID-88242/

Issued to:

M/s. Deendayal Port Authority

Essar Bulk Terminal Ltd, Adani Hazira Port Road,

Hazira Gam, Suvali - 394270,

Tal: Chorasi, Dist: Surat.

Date:

, cd 40° - 121/2023

Monitoring the implemental Safe guards Ministry of Environment, Forests & Climate Change Regional office (WZ), Gandhinagar. Monitoring Report (upto May, 2024) DATA SHEET

	DATA SITI	,
Sr. No.	Particulars	Reply
1.	Project type: River valley/Mining/ Industry/thermal/ nuclear/Other (specify)	Infrastructure and Miscellaneous Projects + CRZ
2.	Name of the project	Development of Ro-Ro/Ro-Pax Facility at Hazira by Deendayal Port Authority (600 m water front and 24 Ha. backup area
3.	Clearance Letter (s). OM no and date	MoEF&CC, GoI vide letter dated 4/4/2022 issued Bifurcation of Environmental and CRZ Clearance accorded to M/s Essar Bulk Terminal Limited vide letter dated 6th May, 2014 in the name of Deendayal Port Trust (Now Deendayal Port Authority)
4.	Location a) District (s)	Dist: Surat
	b) State (s)	State: Gujarat
	c) Location/latitude/longitude	Location: Geo Coordinates: Latitude: 21° 04′ 39.432″ N to 21° 4 39.15 N Longitude: 72°38′ 26.93″ E to 72°38′58.88″ E
5.	Address for Correspondence a) address of Concerned Project Chief Engineer (with pin code & telephone/telex/fax numbers	Chief Engineer, Deendayal Port Authority, A.O. Building, Annex, Post Box No50, Gandhidham- Kutch. Gujarat Pin – 370201 Tel: 02836-233192, Fax-02836-220050.
	b) Address of Executive project Engineer/manager/ (with pin code fax numbers)	Superintending Engineer (Project), Office of the Superintending Engineer (P), A.O. Building, Annex, Gandhidham, Gujarat.
6.	Salient features a) Of the Project	Development of 600 m waterfront and 24 ha back up area at Hazira port for RoRo/RoPax facility.
	b) Of the Environmental Management Plan	Salient Features of EMP prepared for the Development of Ro-Ro/Ro-Pax Facility at Hazira by Deendayal Port Authority has already been communicated with the compliance report dated 05/08/2022.

	Production Details during compliance	N/A.
	period and (or) during the previous financial year	DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.
7.	Breakup of the project area:	
	a) Submergence area: forest & non- forest	N/A.
	b) Others	Project area is 600 m waterfront and 24 ha back up area
8.	Breakup of the project affected population with enumeration of those losing houses/dwelling units only agricultural land & landless laborer's/artisen	N/A The GMB had allotted land of 24 Hectares to Deendayal Port Authority.
	a) SC. ST/Adivasis b) Others (please indicate whether these figures are based on any scientific and systematic survey carried out of only provisional figures, if a survey is carried out give details and years of survey).	N/A N/A
9.	Financial details a) Project cost as originally planned and subsequent revised estimates and the year of prices reference.	69.06 Crores
	b) Allocation made for environmental management plans with item wise and year wise break-up	The allocation made under the scheme of "Environmental Services & Clearance thereof other related Expenditure" during BE 2023-24 is Rs. 274 Lakhs.
	c) Benefit cost ratio/ Internal Rate of Return and the year of assessment Whether (c) includes the cost of environmental management plans so far.	The project is carried out on public interest; hence, IRR is not possible.
	d) Actual expenditure incurred on the project.	83.41 Crores
	e) Actual expenditure incurred on the environmental management plans so far.	The expenditure made under the scheme of "Environmental Services & Clearance thereof other related Expenditure" is Rs. 657 Lakhs from Dec, 2023 to May 2024.

10.	Forest land requirement	Nil (Not Applicable)
	a) The status of approval for diversion of forest land for non-forestry use	N/A
	b) The status of clear felling	N/A
	c) The status of compensatory a forestation, if any	N/A
	d) Comments on the viability & sustainability of compensatory a forestation programmed in the light of actual field experience so far	N/A
11.	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information.	N/A
12.	Status of construction: a) Date of commencement (Actual and/or planned)	Work Order has been issued on 15/4/2021 and accordingly work has been initiated
	b) Date of completion (Actual and/or planned)	DPA has developed RoRo/RoPax facility (170 m berthing jetty and other allied structure viz. approach jetty, pontoons, link span etc. and 5 Ha. area (onshore facility)). However, for remaining development of onshore /offshore facility, DPA engaged Indian Ports Association, New Delhi. After receipt of sreport of IPA, further development will be undertaken.
13.	Reasons for the delay if the Project is yet to start	N/A
14.	Date of site visited a) The dates on which the project was monitored by the regional office on pervious occasion. if any b) The date site visit for this monitoring report	
15.	Details of the correspondence with project authorities for obtaining action plans/information on status of compliance to safeguard other than the routine letters for logistic support for site visit. (The first monitoring report may contain the details of all the letters issued so far but the later reports may cover only the letters issued subsequently.)	